




## CATALOGO 2020



INGENIERO TELLO 200 LOS ALTOS CP 45520 TLAQUEPAQUE JAL  
TELS ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREO: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX  
WEB: WWW.AMUSA.COM.MX

## ALUMINIO ANGULO

ESTANDAR AMERICANO 6061-T6 / 25 PIES LARGO  
ASTM B 308, AMS-QQ-A-200/16



| CODIGO      | ESPEJOR<br>(T) | LADO 1<br>(A) | LADO 2<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|-------------|----------------|---------------|---------------|-------|----------------------------|------------------------------|
| A11634346   | 1/16           | 3/4           | 3/4           | 192   | 0.100                      | 0.900                        |
| A116116     | 1/16           | 1             | 1             | 192   | 0.100                      | 1.200                        |
| A1161121126 | 1/16           | 1 1/2         | 1 1/2         | 192   | 0.200                      | 1.700                        |
| A1834346    | 1/8            | 3/4           | 3/4           | 300   | 0.200                      | 2.700                        |
| A18116      | 1/8            | 1             | 1             | 300   | 0.200                      | 3.600                        |
| A181181186  | 1/8            | 1 1/8         | 1 1/8         | 120   | 0.200                      | 1.600                        |
| A181141146  | 1/8            | 1 1/4         | 1 1/4         | 300   | 0.200                      | 4.400                        |
| A181141126  | 1/8            | 1 1/4         | 1 1/2         | 300   | 0.200                      | 4.900                        |
| A181121126  | 1/8            | 1 1/2         | 1 1/2         | 300   | 0.300                      | 5.300                        |
| A181341346  | 1/8            | 1 3/4         | 1 3/4         | 300   | 0.300                      | 6.200                        |
| A18226      | 1/8            | 2             | 2             | 300   | 0.300                      | 7.100                        |
| A182122126  | 1/8            | 2 1/2         | 2 1/2         | 300   | 0.400                      | 8.800                        |
| A18336      | 1/8            | 3             | 3             | 192   | 0.500                      | 6.800                        |
| A18446      | 1/8            | 4             | 4             | 192   | 0.600                      | 9.000                        |
| A31634346   | 3/16           | 3/4           | 3/4           | 300   | 0.200                      | 4.000                        |
| A316116     | 3/16           | 1             | 1             | 300   | 0.300                      | 5.300                        |
| A31611126   | 3/16           | 1 1/2         | 1 1/2         | 300   | 0.300                      | 6.600                        |
| A3161141146 | 3/16           | 1 1/4         | 1 1/4         | 300   | 0.300                      | 6.600                        |
| A3161141126 | 3/16           | 1 1/4         | 1 1/2         | 300   | 0.300                      | 7.300                        |
| A3161121126 | 3/16           | 1 1/2         | 1 1/2         | 300   | 0.400                      | 7.900                        |
| A316226     | 3/16           | 2             | 2             | 300   | 0.500                      | 10.600                       |
| A316236     | 3/16           | 2 3/4         | 3             | 300   | 0.600                      | 13.200                       |
| A3162122126 | 3/16           | 2 1/2         | 2 1/2         | 300   | 0.600                      | 13.200                       |
| A316336     | 3/16           | 3             | 3             | 300   | 0.700                      | 15.800                       |
| A316446     | 3/16           | 4             | 4             | 300   | 0.900                      | 21.100                       |

PAG. 1




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO ANGULO

ESTANDAR AMERICANO 6061-T6 / 25 PIES LARGO  
ASTM B 308, AMS-QQ-A-200/16



| CODIGO     | ESPEJOR<br>(T) | LADO 1<br>(A) | LADO 2<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|------------|----------------|---------------|---------------|-------|----------------------------|------------------------------|
| A14116     | 1/4            | 1             | 1             | 300   | 0.300                      | 7.100                        |
| A141141146 | 1/4            | 1 1/4         | 1 1/4         | 300   | 0.400                      | 8.800                        |
| A141121126 | 1/4            | 1 1/2         | 1 1/2         | 300   | 0.500                      | 10.600                       |
| A14226     | 1/4            | 2             | 2             | 300   | 0.600                      | 14.100                       |
| A142122126 | 1/4            | 2 1/2         | 2 1/2         | 300   | 0.800                      | 17.600                       |
| A14236     | 1/4            | 2             | 3             | 300   | 0.800                      | 17.600                       |
| A14246     | 1/4            | 2             | 4             | 300   | 0.900                      | 21.100                       |
| A14336     | 1/4            | 3             | 3             | 300   | 0.900                      | 21.100                       |
| A14346     | 1/4            | 3             | 4             | 300   | 1.000                      | 24.600                       |
| A14446     | 1/4            | 4             | 4             | 300   | 1.200                      | 28.100                       |
| A14556     | 1/4            | 5             | 5             | 300   | 1.500                      | 35.100                       |
| A38226     | 3/8            | 2             | 2             | 300   | 0.900                      | 21.100                       |
| A38246     | 3/8            | 2             | 4             | 300   | 1.300                      | 31.600                       |
| A382122126 | 3/8            | 2 1/2         | 2 1/2         | 300   | 1.100                      | 26.400                       |
| A382123126 | 3/8            | 2 1/2         | 3 1/2         | 300   | 1.300                      | 31.600                       |
| A38336     | 3/8            | 3             | 3             | 300   | 1.300                      | 31.600                       |
| A383123126 | 3/8            | 3 1/2         | 3 1/2         | 300   | 1.500                      | 36.900                       |
| A38356     | 3/8            | 3             | 5             | 300   | 1.700                      | 42.200                       |
| A38466     | 3/8            | 4             | 6             | 300   | 2.200                      | 52.700                       |
| A38236     | 3/8            | 2             | 3             | 300   | 1.100                      | 26.400                       |
| A38446     | 3/8            | 4             | 4             | 300   | 1.700                      | 42.200                       |
| A38556     | 3/8            | 5             | 5             | 300   | 2.200                      | 52.700                       |
| A38666     | 3/8            | 6             | 6             | 300   | 2.600                      | 63.200                       |
| A12336     | 1/2            | 3             | 3             | 300   | 1.700                      | 42.200                       |
| A1231256   | 1/2            | 3 1/2         | 5             | 300   | 2.400                      | 59.700                       |

PAG. 2




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO ANGULO

ESTANDAR AMERICANO 6061-T6 / 25 PIES LARGO

ASTM B 308, AMS-QQ-A-200/16



| CODIGO | ESPESOR<br>(T) | LADO 1<br>(A) | LADO 2<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|----------------|---------------|---------------|-------|----------------------------|------------------------------|
| A12346 | 1/2            | 3             | 4             | 300   | 2.000                      | 49.200                       |
| A12356 | 1/2            | 3             | 5             | 300   | 2.300                      | 56.200                       |
| A12446 | 1/2            | 4             | 4             | 300   | 2.300                      | 56.200                       |
| A12556 | 1/2            | 5             | 5             | 300   | 2.900                      | 70.200                       |
| A12666 | 1/2            | 6             | 6             | 300   | 3.400                      | 84.300                       |
| A38446 | 3/4            | 8             | 8             | 300   | 6.800                      | 168.500                      |

PAG. 3



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283


CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX



# ALUMINIO CANAL

ESTANDAR AMERICANO 6061 / 25 PIES

ASTM B 308, AMS-QQ-A-200/16



| CODIGO | A<br>(PULGADAS) | B<br>(PULGADAS) | T<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|-----------------|-----------------|---------------------|----------------------------|------------------------------|
| CA17   | 3"              | 1.410           | 0.170           | 300                 | 0.700                      | 16.400                       |
| CA18   | 4"              | 1.589           | 0.180           | 300                 | 0.900                      | 21.400                       |
| CA24   | 4"              | 1.650           | 0.247           | 300                 | 1.200                      | 29.800                       |
| CA32   | 4"              | 1.720           | 0.320           | 300                 | 1.600                      | 39.400                       |
| CA6    | 6"              | 2.034           | 0.314           | 300                 | 2.100                      | 52.300                       |
| CA12   | 12"             | 4.000           | 0.500           | 300                 | 6.700                      | 165.300                      |

PAG. 4



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO CUADRADO

EXTRUIDO 6061 / 12 PIES LARGO  
ASTM B 221, AMS-QQ-A-200/8



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| C146   | 1/4             | 144                 | 0.100                      | 0.500                        |
| C5166  | 5/16            | 144                 | 0.100                      | 0.700                        |
| C386   | 3/8             | 144                 | 0.100                      | 1.000                        |
| C126   | 1/2             | 144                 | 0.200                      | 1.700                        |
| C586   | 5/8             | 144                 | 0.300                      | 2.700                        |
| C346   | 3/4             | 144                 | 0.400                      | 3.800                        |
| C16    | 1               | 144                 | 0.600                      | 6.800                        |
| C1186  | 1 1/8           | 144                 | 0.800                      | 8.600                        |
| C1146  | 1 1/4           | 144                 | 0.900                      | 10.600                       |
| C1126  | 1 1/2           | 144                 | 1.300                      | 15.200                       |
| C1346  | 1 3/4           | 144                 | 1.800                      | 20.700                       |
| C26    | 2               | 144                 | 2.300                      | 27.000                       |
| C2146  | 2 1/4           | 144                 | 2.900                      | 34.200                       |
| C2126  | 2 1/2           | 144                 | 3.600                      | 42.200                       |
| C2346  | 2 3/4           | 144                 | 4.300                      | 51.000                       |
| C36    | 3               | 144                 | 5.100                      | 60.700                       |
| C3146  | 3 1/4           | 144                 | 6.600                      | 71.200                       |
| C3126  | 3 1/2           | 144                 | 6.900                      | 82.600                       |
| C46    | 4               | 144                 | 9.000                      | 107.900                      |
| C56    | 5               | 144                 | 14.100                     | 168.500                      |
| C66    | 6               | 144                 | 20.300                     | 242.700                      |

PAG. 5




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO LAMINA

6061-T651

ASTM B 209, AMS-QQ-A-250/11, AMS 4027



| CODIGO  | CALIBRE | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|---------|----------------|--------------|--------------|--------------------------------|------------------------------|
| L0166   | 27      | 0.016          | 48           | 144          | 0.200                          | 5.200                        |
| L0206   | 26      | 0.020          | 48           | 144          | 0.200                          | 6.500                        |
| L0256   | 24      | 0.025          | 48           | 144          | 0.200                          | 8.100                        |
| L0326   | 22      | 0.032          | 48           | 144          | 0.300                          | 10.400                       |
| L0406   | 20      | 0.040          | 48           | 144          | 0.300                          | 13.000                       |
| L0506   | 18      | 0.050          | 48           | 144          | 0.400                          | 16.200                       |
| L0636   | 16      | 0.063          | 48           | 144          | 0.500                          | 20.400                       |
| L0806   | 14      | 0.080          | 48           | 144          | 0.600                          | 25.900                       |
| L0906   | 13      | 0.090          | 48           | 144          | 0.700                          | 29.200                       |
| L1006   | 12      | 0.100          | 48           | 144          | 0.700                          | 32.400                       |
| L18486  | 11      | 0.125          | 48           | 144          | 0.900                          | 40.500                       |
| L18606  | 11      | 0.125          | 60           | 144          | 0.900                          | 50.600                       |
| L1606   | 9       | 0.160          | 48           | 144          | 1.100                          | 51.800                       |
| L316486 | 7       | 0.188          | 48           | 144          | 1.300                          | 60.700                       |
| L316606 | 7       | 0.188          | 60           | 144          | 1.300                          | 75.900                       |

PAG. 6



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO LAMINA

2024-T351

ASTM B 209, AMS-QQ-A-250/4, AMS 4037



| CODIGO | CALIBRE | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|---------|----------------|--------------|--------------|--------------------------------|------------------------------|
| L0202  | 26      | 0.020          | 48           | 144          | 0.200                          | 7.200                        |
| L0252  | 24      | 0.025          | 48           | 144          | 0.200                          | 9.000                        |
| L0322  | 22      | 0.032          | 48           | 144          | 0.300                          | 11.500                       |
| L0402  | 20      | 0.040          | 48           | 144          | 0.300                          | 14.400                       |
| L0502  | 18      | 0.050          | 48           | 144          | 0.400                          | 18.000                       |
| L0632  | 16      | 0.063          | 48           | 144          | 0.500                          | 22.700                       |
| L0712  | 15      | 0.071          | 48           | 144          | 0.600                          | 25.500                       |
| L0802  | 14      | 0.080          | 48           | 144          | 0.600                          | 28.800                       |

PAG. 7




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO LAMINA

7075-T651

ASTM B 209, AMS-QQ-A-250/12, AMS-QQ-A-250/24, AMS 4045



| CODIGO  | CALIBRE | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|---------|----------------|--------------|--------------|--------------------------------|------------------------------|
| L1007   | 12      | 0.100          | 48           | 144          | 0.800                          | 36.000                       |
| L18487  | 11      | 0.125          | 48           | 144          | 1.000                          | 44.900                       |
| L316487 | 7       | 0.188          | 48           | 144          | 1.500                          | 67.400                       |




PAG. 8

ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO ANTIDERRAPANTE

ANTIDERRAPANTE 3003

SIN ESPECIFICACIONES



| CODIGO | CALIBRE | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|---------|----------------|--------------|--------------|--------------------------------|------------------------------|
| LAT063 | 16      | 0.063          | 48           | 120          | 0.500                          | 17.000                       |
| LAT100 | 12      | 0.100          | 48           | 120          | 0.700                          | 27.000                       |
| LAT125 | 11      | 0.125          | 48           | 120          | 0.900                          | 33.700                       |
| LAT188 | 7       | 0.188          | 48           | 120          | 1.300                          | 50.700                       |
| LAT250 |         | 0.250          | 48           | 120          | 1.700                          | 67.400                       |




PAG. 9

ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO PLACA

PLACA FORJADA 6061-T651

ASTM B 209, AMS-QQ-A-250/11, AMS 4027



| CODIGO  | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|----------------|--------------|--------------|--------------------------------|------------------------------|
| P14486  | 1/4            | 48 1/2       | 144 1/2      | 1.700                          | 82.300                       |
| P14606  | 1/4            | 60 1/2       | 144 1/2      | 1.700                          | 102.600                      |
| P516486 | 5/16           | 48 1/2       | 144 1/2      | 2.200                          | 102.900                      |
| P516606 | 5/16           | 60 1/2       | 144 1/2      | 2.200                          | 128.300                      |
| P38486  | 3/8            | 48 1/2       | 144 1/2      | 2.600                          | 123.500                      |
| P38606  | 3/8            | 60 1/2       | 144 1/2      | 2.600                          | 153.900                      |
| P12486  | 1/2            | 48 1/2       | 144 1/2      | 3.400                          | 164.000                      |
| P12606  | 1/2            | 60 1/2       | 144 1/2      | 3.400                          | 205.200                      |
| P58486  | 5/8            | 48 1/2       | 144 1/2      | 4.300                          | 205.700                      |
| P58606  | 5/8            | 60 1/2       | 144 1/2      | 4.300                          | 256.500                      |
| P34486  | 3/4            | 48 1/2       | 144 1/2      | 5.100                          | 246.900                      |
| P34606  | 3/4            | 60 1/2       | 144 1/2      | 5.100                          | 307.800                      |
| P78486  | 7/8            | 48 1/2       | 144 1/2      | 5.900                          | 288.000                      |
| P78606  | 7/8            | 60 1/2       | 144 1/2      | 5.900                          | 359.100                      |
| P1486   | 1              | 48 1/2       | 144 1/2      | 6.800                          | 329.200                      |
| P1606   | 1              | 60 1/2       | 144 1/2      | 6.800                          | 410.400                      |
| P114486 | 1 1/4          | 48 1/2       | 144 1/2      | 8.500                          | 411.400                      |
| P114606 | 1 1/4          | 60 1/2       | 144 1/2      | 8.500                          | 513.000                      |
| P112486 | 1 1/2          | 48 1/2       | 144 1/2      | 10.200                         | 493.700                      |
| P112606 | 1 1/2          | 60 1/2       | 144 1/2      | 10.200                         | 615.600                      |
| P134486 | 1 3/4          | 48 1/2       | 144 1/2      | 11.800                         | 576.000                      |
| P134606 | 1 3/4          | 60 1/2       | 144 1/2      | 11.800                         | 718.100                      |
| P2486   | 2              | 48 1/2       | 144 1/2      | 13.500                         | 658.300                      |
| P2606   | 2              | 60 1/2       | 144 1/2      | 13.500                         | 820.700                      |
| P214486 | 2 1/4          | 48 1/2       | 144 1/2      | 15.200                         | 740.600                      |

PAG. 10




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO PLACA

PLACA FORJADA 6061-T651  
ASTM B 209, AMS-QQ-A-250/11, AMS 4027



| CODIGO  | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|----------------|--------------|--------------|--------------------------------|------------------------------|
| P214606 | 2 1/4          | 60 1/2       | 144 1/2      | 15.200                         | 923.300                      |
| P212486 | 2 1/2          | 48 1/2       | 144 1/2      | 16.900                         | 822.800                      |
| P212606 | 2 1/2          | 60 1/2       | 144 1/2      | 16.900                         | 1,025.900                    |
| P234486 | 2 3/4          | 48 1/2       | 144 1/2      | 18.600                         | 905.100                      |
| P234606 | 2 3/4          | 60 1/2       | 144 1/2      | 18.600                         | 1,128.500                    |
| P3486   | 3              | 48 1/2       | 144 1/2      | 20.300                         | 987.400                      |
| P3606   | 3              | 60 1/2       | 144 1/2      | 20.300                         | 1,231.100                    |
| P312486 | 3 1/2          | 48 1/2       | 144 1/2      | 23.600                         | 1,152.000                    |
| P312606 | 3 1/2          | 60 1/2       | 144 1/2      | 23.600                         | 1,436.200                    |
| P4486   | 4              | 48 1/2       | 144 1/2      | 27.000                         | 1,316.500                    |
| P4606   | 4              | 60 1/2       | 144 1/2      | 27.000                         | 1,641.400                    |
| P4146   | 4 1/4          | 48 1/2       | 144 1/2      | 28.700                         | 1,398.800                    |
| P4126   | 4 1/2          | 48 1/2       | 144 1/2      | 30.400                         | 1,481.100                    |
| P5486   | 5              | 48 1/2       | 144 1/2      | 33.700                         | 1,645.600                    |
| P5606   | 5              | 60 1/2       | 144 1/2      | 33.700                         | 2,051.700                    |
| P5126   | 5 1/2          | 48 1/2       | 144 1/2      | 37.100                         | 1,810.200                    |
| P6486   | 6              | 48 1/2       | 144 1/2      | 40.500                         | 1,974.700                    |
| P6606   | 6              | 60 1/2       | 144 1/2      | 40.500                         | 2,462.100                    |
| P76     | 7              | CONSULTAR    | CONSULTAR    | 52.400                         | N/A                          |
| P86     | 8              | CONSULTAR    | CONSULTAR    | 54.000                         | N/A                          |
| P106*   | 10             | CONSULTAR    | CONSULTAR    | 67.400                         | N/A                          |
| P126*   | 12             | CONSULTAR    | CONSULTAR    | 80.900                         | N/A                          |

\*6061-T6

PAG. 11




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX



## ALUMINIO PLACA

PLACA RECTIFICADA CAST  
SIN ESPECIFICACIONES



| CODIGO | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|----------------|--------------|--------------|--------------------------------|------------------------------|
| M1448  | 1/4            | 48 1/2       | 144 1/2      | 1.700                          | 82.300                       |
| M51648 | 5/16           | 48 1/2       | 144 1/2      | 2.200                          | 102.900                      |
| M3848  | 3/8            | 48 1/2       | 144 1/2      | 2.600                          | 123.500                      |
| M1248  | 1/2            | 48 1/2       | 144 1/2      | 3.400                          | 164.600                      |
| M5848  | 5/8            | 48 1/2       | 144 1/2      | 4.300                          | 205.700                      |
| M3448  | 3/4            | 48 1/2       | 144 1/2      | 5.100                          | 246.900                      |
| M148   | 1              | 48 1/2       | 144 1/2      | 6.800                          | 329.200                      |
| M11448 | 1 1/4          | 48 1/2       | 144 1/2      | 8.500                          | 411.400                      |
| M11248 | 1 1/2          | 48 1/2       | 144 1/2      | 10.200                         | 493.700                      |
| M13448 | 1 3/4          | 48 1/2       | 144 1/2      | 11.800                         | 576.000                      |
| M248   | 2              | 48 1/2       | 144 1/2      | 13.500                         | 658.300                      |

PAG. 12




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO PLACA

PLACA RECTIFICADA C250  
SIN ESPECIFICACIONES



| CODIGO | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|----------------|--------------|--------------|--------------------------------|------------------------------|
| PR1448 | 1/4            | 48 1/2       | 144 1/2      | 1.700                          | 82.300                       |
| PR3848 | 3/8            | 48 1/2       | 144 1/2      | 2.600                          | 123.500                      |
| PR1248 | 1/2            | 48 1/2       | 144 1/2      | 3.400                          | 164.600                      |
| PR3448 | 3/4            | 48 1/2       | 144 1/2      | 5.100                          | 246.900                      |
| PR148  | 1              | 48 1/2       | 144 1/2      | 6.800                          | 329.200                      |


PAG. 13



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO PLACA

PLACA FORJADA 7075-T651  
ASTM B 209, AMS-QQ-A-250/12, AMS 4045



| CODIGO  | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|----------------|--------------|--------------|--------------------------------|------------------------------|
| P14487  | 1/4            | 48 1/2       | 144 1/2      | 1.900                          | 91.400                       |
| P38487  | 3/8            | 48 1/2       | 144 1/2      | 2.900                          | 137.100                      |
| P12487  | 1/2            | 48 1/2       | 144 1/2      | 3.800                          | 182.800                      |
| P58487  | 5/8            | 48 1/2       | 144 1/2      | 4.700                          | 228.400                      |
| P34487  | 3/4            | 48 1/2       | 144 1/2      | 5.700                          | 274.100                      |
| P1487   | 1              | 48 1/2       | 144 1/2      | 7.500                          | 365.500                      |
| P114487 | 1 1/4          | 48 1/2       | 144 1/2      | 9.400                          | 456.800                      |
| P112487 | 1 1/2          | 48 1/2       | 144 1/2      | 11.300                         | 548.200                      |
| P134487 | 1 3/4          | 48 1/2       | 144 1/2      | 13.100                         | 639.500                      |
| P2487   | 2              | 48 1/2       | 144 1/2      | 15.000                         | 730.900                      |
| P214487 | 2 1/4          | 48 1/2       | 144 1/2      | 16.900                         | 822.200                      |
| P212487 | 2 1/2          | 48 1/2       | 144 1/2      | 18.800                         | 913.600                      |
| P3487   | 3              | 48 1/2       | 144 1/2      | 22.500                         | 1,096.300                    |
| P312487 | 3 1/2          | 48 1/2       | 144 1/2      | 26.200                         | 1,279.000                    |
| P4487   | 4              | 48 1/2       | 144 1/2      | 30.000                         | 1,461.700                    |
| P5487   | 5              | 48 1/2       | 144 1/2      | 37.500                         | 1,827.100                    |
| P6487   | 6              | CONSULTAR    | CONSULTAR    | 44.900                         | N/A                          |
| P77     | 7              | CONSULTAR    | CONSULTAR    | 52.400                         | N/A                          |
| P87     | 8              | CONSULTAR    | CONSULTAR    | 59.900                         | N/A                          |


PAG. 14



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO PLACA

PLACA FORJADA 2024-T351  
ASTM B 209, AMS-QQ-A-250/4, AMS 4037



| CODIGO | ESPESOR<br>(T) | ANCHO<br>(A) | LARGO<br>(L) | PESO POR PIE<br>CDO (ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|----------------|--------------|--------------|--------------------------------|------------------------------|
| P38482 | 3/8            | 48 1/2       | 144 1/2      | 2.900                          | 137.100                      |
| P12482 | 1/2            | 48 1/2       | 144 1/2      | 3.800                          | 182.800                      |
| P1482  | 1              | 48 1/2       | 144 1/2      | 7.500                          | 365.500                      |

PAG. 15




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO REDONDO

EXTRUIDO 6061-T6511 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO | A | (PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|---|------------|---------------------|----------------------------|------------------------------|
| R3166  |   | 3/16       | 144                 | 0.100                      | 0.200                        |
| R146   |   | 1/4        | 144                 | 0.100                      | 0.400                        |
| R5166  |   | 5/16       | 144                 | 0.100                      | 0.600                        |
| R386   |   | 3/8        | 144                 | 0.100                      | 0.800                        |
| R126   |   | 1/2        | 144                 | 0.200                      | 1.400                        |
| R9166  |   | 9/16       | 144                 | 0.200                      | 1.700                        |
| R586   |   | 5/8        | 144                 | 0.200                      | 2.100                        |
| R346   |   | 3/4        | 144                 | 0.300                      | 3.000                        |
| R786   |   | 7/8        | 144                 | 0.400                      | 4.100                        |
| R16    | 1 |            | 144                 | 0.500                      | 5.400                        |
| R11166 | 1 | 1/16       | 144                 | 0.600                      | 6.100                        |
| R1186  | 1 | 1/8        | 144                 | 0.600                      | 6.800                        |
| R13166 | 1 | 3/16       | 144                 | 0.700                      | 7.600                        |
| R1146  | 1 | 1/4        | 144                 | 0.700                      | 8.400                        |
| R1386  | 1 | 3/8        | 144                 | 0.900                      | 10.100                       |
| R1126  | 1 | 1/2        | 144                 | 1.000                      | 12.000                       |
| R1586  | 1 | 5/8        | 144                 | 1.200                      | 14.100                       |
| R1346  | 1 | 3/4        | 144                 | 1.400                      | 16.400                       |
| R26    | 2 |            | 144                 | 1.800                      | 21.400                       |
| R2186  | 2 | 1/8        | 144                 | 2.100                      | 24.100                       |
| R2146  | 2 | 1/4        | 144                 | 2.300                      | 27.000                       |
| R2386  | 2 | 3/8        | 144                 | 2.600                      | 30.100                       |
| R2126  | 2 | 1/2        | 144                 | 2.800                      | 33.300                       |
| R2586  | 2 | 5/8        | 144                 | 3.100                      | 36.800                       |
| R2346  | 2 | 3/4        | 144                 | 3.400                      | 40.300                       |

PAG. 16



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO REDONDO

EXTRUIDO 6061-T6511 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| R36    | 3               | 144                 | 4.000                      | 48.000                       |
| R3186  | 3 1/8           | 144                 | 4.400                      | 52.100                       |
| R3146  | 3 1/4           | 144                 | 4.700                      | 56.300                       |
| R3386  | 3 3/8           | 144                 | 5.100                      | 60.700                       |
| R3126  | 3 1/2           | 144                 | 5.500                      | 65.300                       |
| R3346  | 3 3/4           | 144                 | 6.300                      | 75.000                       |
| R46    | 4               | 144                 | 7.200                      | 85.300                       |
| R4186  | 4 1/8           | 144                 | 7.600                      | 90.700                       |
| R4146  | 4 1/4           | 144                 | 8.100                      | 96.300                       |
| R4126  | 4 1/2           | 144                 | 9.000                      | 107.900                      |
| R56    | 5               | 144                 | 11.100                     | 133.200                      |
| R5146  | 5 1/4           | 144                 | 12.300                     | 146.900                      |
| R5126  | 5 1/2           | 144                 | 13.500                     | 161.200                      |
| R66    | 6               | 144                 | 16.000                     | 191.800                      |
| R6146  | 6 1/4           | 144                 | 17.400                     | 208.100                      |
| R6126  | 6 1/2           | 144                 | 18.800                     | 225.100                      |
| R76    | 7               | 144                 | 21.800                     | 261.000                      |
| R7126  | 7 1/2           | 144                 | 25.000                     | 299.700                      |
| R86    | 8               | 144                 | 28.500                     | 340.900                      |
| R8126  | 8 1/2           | 144                 | 32.100                     | 384.900                      |
| R96    | 9               | 144                 | 36.000                     | 431.500                      |
| R106   | 10              | 144                 | 44.400                     | 532.700                      |
| R116   | 11              | 144                 | 53.800                     | 644.500                      |
| R12-6  | 12              | 144                 | 64.000                     | 767.000                      |
| R12146 | 12 1/4          | 144                 | 66.700                     | 799.300                      |

PAG. 17



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO REDONDO

EXTRUIDO 6061-T6511 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| R12126 | 12 1/2          | 144                 | 69.400                     | 832.300                      |
| R136   | 13              | 144                 | 75.100                     | 900.200                      |
| R14-6  | 14              | 144                 | 87.000                     | 1,044.000                    |
| R156   | 15              | 144                 | 99.900                     | 1,198.500                    |
| R15126 | 15 1/2          | 144                 | 106.700                    | 1,279.700                    |
| R166   | 16              | 144                 | 113.700                    | 1,363.600                    |
| R176   | 17              | 144                 | 128.300                    | 1,539.400                    |
| R206   | 20              | 144                 | 117.600                    | 2,130.600                    |

PAG. 18




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO REDONDO

EXTRUIDO 7075-T6511 / 12 PIES LARGO  
ASTM B 221, AMS-QQ-A-200/11, AMS 4169



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| R127   | 1/2             | 144                 | 0.200                      | 1.500                        |
| R587   | 5/8             | 144                 | 0.200                      | 2.400                        |
| R347   | 3/4             | 144                 | 0.300                      | 3.400                        |
| R17    | 1               | 144                 | 0.500                      | 6.000                        |
| R1147  | 1 1/4           | 144                 | 0.800                      | 9.300                        |
| R1127  | 1 1/2           | 144                 | 1.200                      | 13.400                       |
| R1347  | 1 3/4           | 144                 | 1.600                      | 18.200                       |
| R27    | 2               | 144                 | 2.000                      | 23.700                       |
| R2147  | 2 1/4           | 144                 | 2.500                      | 30.000                       |
| R2127  | 2 1/2           | 144                 | 3.100                      | 37.000                       |
| R2347  | 2 3/4           | 144                 | 3.800                      | 44.800                       |
| R37    | 3               | 144                 | 4.500                      | 53.300                       |
| R3147  | 3 1/4           | 144                 | 5.300                      | 62.500                       |
| R3127  | 3 1/2           | 144                 | 6.100                      | 72.500                       |
| R3347  | 3 3/4           | 144                 | 6.300                      | 75.000                       |
| R47    | 4               | 144                 | 7.900                      | 94.700                       |
| R4147  | 4 1/4           | 144                 | 9.000                      | 106.900                      |
| R4127  | 4 1/2           | 144                 | 10.000                     | 119.800                      |
| R4347  | 4 3/4           | 144                 | 11.200                     | 133.500                      |
| R57    | 5               | 144                 | 12.400                     | 147.900                      |
| R5127  | 5 1/2           | 144                 | 15.000                     | 178.900                      |
| R5347  | 5 3/4           | 144                 | 16.300                     | 147.900                      |
| R67    | 6               | 144                 | 17.800                     | 212.900                      |
| R77    | 7               | 144                 | 24.200                     | 289.800                      |
| R7127  | 7 1/2           | 144                 | 27.800                     | 332.700                      |

PAG. 19




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX



## ALUMINIO REDONDO

EXTRUIDO 7075-T6511 / 12 PIES LARGO  
ASTM B 221, AMS-QQ-A-200/11, AMS 4169



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| R87    | 8               | 144                 | 31.600                     | 378.500                      |
| R8127  | 8 1/2           | 144                 | 35.700                     | 427.300                      |
| R97    | 9               | 144                 | 40.000                     | 479.100                      |
| R9127  | 9 1/2           | 144                 | 44.500                     | 533.800                      |
| R107   | 10              | 144                 | 49.300                     | 591.400                      |
| R12-7  | 12              | 144                 | 71.000                     | 851.600                      |
| R167   | 16              | 144                 | 126.200                    | 1,513.900                    |


PAG. 20



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO REDONDO

EXTRUIDO 2024-T3511 / 12 PIES LARGO  
ASTM B 221, AMS-QQ-A-200/3, AMS 4165



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| R122   | 1/2             | 144                 | 0.200                      | 1.500                        |
| R582   | 5/8             | 144                 | 0.200                      | 2.400                        |
| R342   | 3/4             | 144                 | 0.300                      | 3.400                        |
| R782   | 7/8             | 144                 | 0.400                      | 4.600                        |
| R12    | 1               | 144                 | 0.500                      | 6.000                        |
| R1142  | 1 1/4           | 144                 | 0.800                      | 9.300                        |
| R1122  | 1 1/2           | 144                 | 1.200                      | 13.400                       |
| R22    | 2               | 144                 | 2.000                      | 23.700                       |
| R2142  | 2 1/4           | 144                 | 2.500                      | 30.000                       |
| R2122  | 2 1/2           | 144                 | 3.100                      | 37.000                       |
| R2342  | 2 3/4           | 144                 | 3.800                      | 44.800                       |
| R32    | 3               | 144                 | 4.500                      | 53.300                       |
| R3142  | 3 1/4           | 144                 | 5.300                      | 62.500                       |
| R3122  | 3 1/2           | 144                 | 6.100                      | 72.500                       |
| R3372  | 3 3/4           | 144                 | 6.300                      | 75.000                       |
| R42    | 4               | 144                 | 7.900                      | 94.700                       |
| R4142  | 4 1/4           | 144                 | 9.000                      | 106.900                      |
| R4122  | 4 1/2           | 144                 | 10.000                     | 119.800                      |
| R4342  | 4 3/4           | 144                 | 11.200                     | 113.500                      |
| R52    | 5               | 144                 | 12.400                     | 133.500                      |
| R5142  | 5 1/4           | 144                 | 13.600                     | 163.000                      |
| R5122  | 5 1/2           | 144                 | 15.000                     | 178.900                      |
| R5342  | 5 3/4           | 144                 | 16.300                     | 195.600                      |
| R62    | 6               | 144                 | 17.800                     | 212.900                      |


PAG. 21



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO REDONDO

EXTRUIDO 2024-T3511 / 12 PIES LARGO  
ASTM B 221, AMS-QQ-A-200/3, AMS 4165



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| R122   | 1/2             | 144                 | 0.200                      | 1.500                        |
| R582   | 5/8             | 144                 | 0.200                      | 2.400                        |
| R342   | 3/4             | 144                 | 0.300                      | 3.400                        |
| R782   | 7/8             | 144                 | 0.400                      | 4.600                        |
| R12    | 1               | 144                 | 0.500                      | 6.000                        |
| R1142  | 1 1/4           | 144                 | 0.800                      | 9.300                        |
| R1122  | 1 1/2           | 144                 | 1.200                      | 13.400                       |
| R22    | 2               | 144                 | 2.000                      | 23.700                       |
| R2142  | 2 1/4           | 144                 | 2.500                      | 30.000                       |
| R2122  | 2 1/2           | 144                 | 3.100                      | 37.000                       |
| R2342  | 2 3/4           | 144                 | 3.800                      | 44.800                       |
| R32    | 3               | 144                 | 4.500                      | 53.300                       |
| R3142  | 3 1/4           | 144                 | 5.300                      | 62.500                       |
| R3122  | 3 1/2           | 144                 | 6.100                      | 72.500                       |
| R3372  | 3 3/4           | 144                 | 6.300                      | 75.000                       |
| R42    | 4               | 144                 | 7.900                      | 94.700                       |
| R4142  | 4 1/4           | 144                 | 9.000                      | 106.900                      |
| R4122  | 4 1/2           | 144                 | 10.000                     | 119.800                      |
| R4342  | 4 3/4           | 144                 | 11.200                     | 113.500                      |
| R52    | 5               | 144                 | 12.400                     | 147.900                      |
| R5142  | 5 1/4           | 144                 | 13.600                     | 163.000                      |
| R5122  | 5 1/2           | 144                 | 15.000                     | 178.900                      |
| R5342  | 5 3/4           | 144                 | 16.300                     | 195.600                      |
| R62    | 6               | 144                 | 17.800                     | 212.900                      |

PAG. 21



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO SOLERA

EXTRUIDO 6061-T651 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO   | ESPESOR<br>(A) | ANCHO<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|----------|----------------|--------------|-------|----------------------------|------------------------------|
| S18126   | 1/8            | 1/2          | 144   | 0.100                      | 0.500                        |
| S18346   | 1/8            | 3/4          | 144   | 0.100                      | 0.700                        |
| S1816    | 1/8            | 1            | 144   | 0.100                      | 0.900                        |
| S181146  | 1/8            | 1 1/4        | 144   | 0.100                      | 1.100                        |
| S181126  | 1/8            | 1 1/2        | 144   | 0.200                      | 1.300                        |
| S181346  | 1/8            | 1 3/4        | 144   | 0.200                      | 1.500                        |
| S1826    | 1/8            | 2            | 144   | 0.200                      | 1.700                        |
| S182126  | 1/8            | 2 1/2        | 144   | 0.200                      | 2.200                        |
| S1836    | 1/8            | 3            | 144   | 0.300                      | 2.600                        |
| S1846    | 1/8            | 4            | 144   | 0.300                      | 3.400                        |
| S1866    | 1/8            | 6            | 144   | 0.500                      | 5.100                        |
| S316126  | 3/16           | 1/2          | 144   | 0.100                      | 0.700                        |
| S316586  | 3/16           | 5/8          | 144   | 0.100                      | 0.800                        |
| S316346  | 3/16           | 3/4          | 144   | 0.100                      | 1.000                        |
| S31616   | 3/16           | 1            | 144   | 0.200                      | 1.300                        |
| S3161146 | 3/16           | 1 1/4        | 144   | 0.200                      | 1.600                        |
| S3161126 | 3/16           | 1 1/2        | 144   | 0.200                      | 1.900                        |
| S3161346 | 3/16           | 1 3/4        | 144   | 0.200                      | 2.300                        |
| S31626   | 3/16           | 2            | 144   | 0.300                      | 2.600                        |
| S3162126 | 3/16           | 2 1/2        | 144   | 0.300                      | 3.200                        |
| S31636   | 3/16           | 3            | 144   | 0.400                      | 3.800                        |
| S31646   | 3/16           | 4            | 144   | 0.500                      | 5.100                        |
| S31666   | 3/16           | 6            | 144   | 0.700                      | 7.600                        |
| S14126   | 1/4            | 1/2          | 144   | 0.100                      | 0.900                        |
| S14586   | 1/4            | 5/8          | 144   | 0.100                      | 1.100                        |

PAG. 22



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO SOLERA

EXTRUIDO 6061-T651 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO   | ESPEJOR<br>(A) | ANCHO<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|----------|----------------|--------------|-------|----------------------------|------------------------------|
| S14346   | 1/4            | 3/4          | 144   | 0.200                      | 1.300                        |
| S1416    | 1/4            | 1            | 144   | 0.200                      | 1.700                        |
| S141146  | 1/4            | 1 1/4        | 144   | 0.200                      | 2.200                        |
| S141126  | 1/4            | 1 1/2        | 144   | 0.300                      | 2.600                        |
| S141346  | 1/4            | 1 3/4        | 144   | 0.300                      | 3.000                        |
| S1426    | 1/4            | 2            | 144   | 0.300                      | 3.400                        |
| S142126  | 1/4            | 2 1/2        | 144   | 0.400                      | 4.300                        |
| S1436    | 1/4            | 3            | 144   | 0.500                      | 5.100                        |
| S1446    | 1/4            | 4            | 144   | 0.600                      | 6.800                        |
| S1456    | 1/4            | 5            | 144   | 0.800                      | 8.500                        |
| S1466    | 1/4            | 6            | 144   | 0.900                      | 10.200                       |
| S1486    | 1/4            | 8            | 144   | 1.200                      | 13.500                       |
| S14106   | 1/4            | 10           | 144   | 1.500                      | 16.900                       |
| S1412-6  | 1/4            | 12           | 144   | 1.700                      | 20.300                       |
| S516346  | 5/16           | 3/4          | 144   | 0.200                      | 1.600                        |
| S51616   | 5/16           | 1            | 144   | 0.200                      | 2.200                        |
| S5161146 | 5/16           | 1 1/4        | 144   | 0.300                      | 2.700                        |
| S5161126 | 5/16           | 1 1/2        | 144   | 0.300                      | 3.200                        |
| S5161346 | 5/16           | 1 3/4        | 144   | 0.400                      | 3.700                        |
| S51626   | 5/16           | 2            | 144   | 0.400                      | 4.300                        |
| S5162126 | 5/16           | 2 1/2        | 144   | 0.500                      | 5.300                        |
| S51636   | 5/16           | 3            | 144   | 0.600                      | 6.400                        |
| S38126   | 3/8            | 1/2          | 144   | 0.200                      | 1.300                        |
| S38346   | 3/8            | 3/4          | 144   | 0.200                      | 1.900                        |
| S3816    | 3/8            | 1            | 144   | 0.300                      | 2.600                        |

PAG. 23



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO SOLERA

EXTRUIDO 6061-T651 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO  | ESPESOR<br>(A) | ANCHO<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|----------------|--------------|-------|----------------------------|------------------------------|
| S381146 | 3/8            | 1 1/4        | 144   | 0.300                      | 3.200                        |
| S381126 | 3/8            | 1 1/2        | 144   | 0.400                      | 3.800                        |
| S381346 | 3/8            | 1 3/4        | 144   | 0.400                      | 4.500                        |
| S3826   | 3/8            | 2            | 144   | 0.500                      | 5.100                        |
| S382126 | 3/8            | 2 1/2        | 144   | 0.600                      | 6.400                        |
| S3836   | 3/8            | 3            | 144   | 0.700                      | 7.600                        |
| S3846   | 3/8            | 4            | 144   | 0.900                      | 10.200                       |
| S3866   | 3/8            | 6            | 144   | 1.300                      | 15.200                       |
| S3876   | 3/8            | 7            | 144   | 1.500                      | 17.700                       |
| S3886   | 3/8            | 8            | 144   | 1.700                      | 20.300                       |
| S38106  | 3/8            | 10           | 144   | 2.200                      | 25.300                       |
| S3812-6 | 3/8            | 12           | 144   | 2.600                      | 30.400                       |
| S3816   | 3/8            | 16           | 144   | 3.400                      | 40.500                       |
| S12346  | 1/2            | 3/4          | 144   | 0.300                      | 2.600                        |
| S1216   | 1/2            | 1            | 144   | 0.300                      | 3.400                        |
| S121146 | 1/2            | 1 1/4        | 144   | 0.400                      | 4.300                        |
| S121126 | 1/2            | 1 1/4        | 144   | 0.500                      | 5.100                        |
| S121346 | 1/2            | 1 3/4        | 144   | 0.500                      | 5.900                        |
| S1226   | 1/2            | 2            | 144   | 0.600                      | 6.800                        |
| S122126 | 1/2            | 2 1/2        | 144   | 0.800                      | 8.500                        |
| S1236   | 1/2            | 3            | 144   | 0.900                      | 10.200                       |
| S1246   | 1/2            | 4            | 144   | 1.200                      | 13.500                       |
| S1256   | 1/2            | 5            | 144   | 1.500                      | 16.900                       |
| S1266   | 1/2            | 6            | 144   | 1.700                      | 20.300                       |
| S1276   | 1/2            | 7            | 144   | 2.000                      | 23.600                       |

PAG. 24



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO SOLERA

EXTRUIDO 6061-T651 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO  | ESPESOR<br>(A) | ANCHO<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|----------------|--------------|-------|----------------------------|------------------------------|
| S1286   | 1/2            | 8            | 144   | 2.300                      | 27.000                       |
| S12106  | 1/2            | 10           | 144   | 2.900                      | 33.700                       |
| S12126  | 1/2            | 12           | 144   | 3.400                      | 40.500                       |
| S12146  | 1/2            | 14           | 144   | 4.000                      | 47.200                       |
| S12166  | 1/2            | 16           | 144   | 4.500                      | 54.000                       |
| S58346  | 5/8            | 3/4          | 144   | 0.300                      | 3.200                        |
| S5816   | 5/8            | 1            | 144   | 0.400                      | 4.300                        |
| S581146 | 5/8            | 1 1/4        | 144   | 0.500                      | 5.300                        |
| S581126 | 5/8            | 1 1/2        | 144   | 0.600                      | 6.400                        |
| S581346 | 5/8            | 1 3/4        | 144   | 0.700                      | 7.400                        |
| S5826   | 5/8            | 2            | 144   | 0.800                      | 8.500                        |
| S582126 | 5/8            | 2 1/2        | 144   | 0.900                      | 10.600                       |
| S582346 | 5/8            | 2 3/4        | 144   | 1.000                      | 11.600                       |
| S5836   | 5/8            | 3            | 144   | 1.100                      | 12.700                       |
| S5846   | 5/8            | 4            | 144   | 1.500                      | 16.900                       |
| S5856   | 5/8            | 5            | 144   | 1.800                      | 21.100                       |
| S5866   | 5/8            | 6            | 144   | 2.200                      | 25.300                       |
| S5886   | 5/8            | 8            | 144   | 2.900                      | 33.700                       |
| S58126  | 5/8            | 12           | 144   | 4.300                      | 50.600                       |
| S58166  | 5/8            | 16           | 144   | 5.700                      | 67.400                       |
| S3416   | 3/4            | 1            | 144   | 0.500                      | 5.100                        |
| S341146 | 3/4            | 1 1/4        | 144   | 0.600                      | 6.400                        |
| S341126 | 3/4            | 1 1/2        | 144   | 0.700                      | 7.600                        |
| S341346 | 3/4            | 1 3/4        | 144   | 0.800                      | 8.900                        |
| S3426   | 3/4            | 2            | 144   | 0.900                      | 10.200                       |

PAG. 25



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO SOLERA

EXTRUIDO 6061-T651 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO  | ESPESOR<br>(A) | ANCHO<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|----------------|--------------|-------|----------------------------|------------------------------|
| S342126 | 3/4            | 2 1/2        | 144   | 1.100                      | 12.700                       |
| S3436   | 3/4            | 3            | 144   | 1.300                      | 15.200                       |
| S3446   | 3/4            | 4            | 144   | 1.700                      | 20.300                       |
| S3456   | 3/4            | 5            | 144   | 2.200                      | 25.300                       |
| S3466   | 3/4            | 6            | 144   | 2.600                      | 30.400                       |
| S3486   | 3/4            | 8            | 144   | 3.400                      | 40.500                       |
| S3496   | 3/4            | 9            | 144   | 3.800                      | 45.500                       |
| S34106  | 3/4            | 10           | 144   | 4.300                      | 50.600                       |
| S34126  | 3/4            | 12           | 144   | 5.100                      | 60.700                       |
| S34166  | 3/4            | 16           | 144   | 6.800                      | 80.900                       |
| S34186  | 3/4            | 18           | 144   | 7.600                      | 91.000                       |
| S11146  | 1              | 1 1/4        | 144   | 0.800                      | 8.500                        |
| S11126  | 1              | 1 1/2        | 144   | 0.900                      | 10.200                       |
| S11346  | 1              | 1 3/4        | 144   | 1.000                      | 11.800                       |
| S126    | 1              | 2            | 144   | 1.200                      | 13.500                       |
| S1212-6 | 1              | 2 1/2        | 144   | 1.500                      | 16.900                       |
| S136    | 1              | 3            | 144   | 1.700                      | 20.300                       |
| S13126  | 1              | 3 1/2        | 144   | 2.000                      | 23.600                       |
| S146    | 1              | 4            | 144   | 2.300                      | 27.000                       |
| S156    | 1              | 5            | 144   | 2.900                      | 33.700                       |
| S166    | 1              | 6            | 144   | 3.400                      | 40.500                       |
| S186    | 1              | 8            | 144   | 4.500                      | 54.000                       |
| S1106   | 1              | 10           | 144   | 5.700                      | 67.400                       |
| S112-6  | 1              | 12           | 144   | 6.800                      | 80.900                       |
| S1186   | 1              | 18           | 144   | 10.200                     | 121.400                      |

PAG. 26



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283


CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX



# ALUMINIO SOLERA

EXTRUIDO 6061-T651 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO   | ESPESOR<br>(A) | ANCHO<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|----------|----------------|--------------|-------|----------------------------|------------------------------|
| S1141126 | 1 1/4          | 1 1/2        | 144   | 1.100                      | 12.700                       |
| S1141346 | 1 1/4          | 1 3/4        | 144   | 1.300                      | 14.800                       |
| S11426   | 1 1/4          | 2            | 144   | 1.500                      | 16.900                       |
| S11436   | 1 1/4          | 3            | 144   | 2.200                      | 25.300                       |
| S1143126 | 1 1/4          | 3 1/2        | 144   | 2.500                      | 29.500                       |
| S11446   | 1 1/4          | 4            | 144   | 2.900                      | 33.700                       |
| S11466   | 1 1/4          | 6            | 144   | 4.300                      | 50.600                       |
| S11486   | 1 1/4          | 8            | 144   | 5.700                      | 67.400                       |
| S114106  | 1 1/4          | 10           | 144   | 7.100                      | 84.300                       |
| S114126  | 1 1/4          | 12           | 144   | 8.500                      | 101.100                      |
| S114146  | 1 1/4          | 14           | 144   | 9.900                      | 118.000                      |
| S114166  | 1 1/4          | 16           | 144   | 11.300                     | 134.800                      |
| S114186  | 1 1/4          | 18           | 144   | 12.700                     | 151.700                      |
| S11226   | 1 1/2          | 2            | 144   | 1.700                      | 20.300                       |
| S1122126 | 1 1/2          | 2 1/2        | 144   | 2.200                      | 25.300                       |
| S11236   | 1 1/2          | 3            | 144   | 2.600                      | 30.400                       |
| S1123126 | 1 1/2          | 3 1/2        | 144   | 3.000                      | 35.400                       |
| S11246   | 1 1/2          | 4            | 144   | 3.400                      | 40.500                       |
| S11266   | 1 1/2          | 6            | 144   | 5.100                      | 60.700                       |
| S11286   | 1 1/2          | 8            | 144   | 6.800                      | 80.900                       |
| S112126  | 1 1/2          | 12           | 144   | 10.200                     | 121.400                      |
| S112146  | 1 1/2          | 14           | 144   | 11.800                     | 141.600                      |
| S112166  | 1 1/2          | 16           | 144   | 13.500                     | 161.800                      |
| S112186  | 1 1/2          | 18           | 144   | 15.200                     | 182.000                      |
| S13426   | 1 3/4          | 2            | 144   | 2.000                      | 23.600                       |

PAG. 27



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO SOLERA

EXTRUIDO 6061-T651 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO   | ESPESOR<br>(A) | ANCHO<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|----------|----------------|--------------|-------|----------------------------|------------------------------|
| S1342126 | 1 3/4          | 2 1/2        | 144   | 2.500                      | 29.500                       |
| S13436   | 1 3/4          | 3            | 144   | 3.000                      | 35.400                       |
| S13446   | 1 3/4          | 4            | 144   | 4.000                      | 47.200                       |
| S13466   | 1 3/4          | 6            | 144   | 5.900                      | 70.800                       |
| S134166  | 1 3/4          | 16           | 144   | 15.800                     | 188.700                      |
| S22126   | 2              | 2 1/2        | 144   | 2.900                      | 33.700                       |
| S236     | 2              | 3            | 144   | 3.400                      | 40.500                       |
| S23126   | 2              | 3 1/2        | 144   | 4.000                      | 47.200                       |
| S246     | 2              | 4            | 144   | 4.500                      | 54.000                       |
| S256     | 2              | 5            | 144   | 5.700                      | 67.400                       |
| S266     | 2              | 6            | 144   | 6.800                      | 80.900                       |
| S286     | 2              | 8            | 144   | 9.000                      | 107.900                      |
| S2106    | 2              | 10           | 144   | 11.300                     | 134.800                      |
| S2126    | 2              | 12           | 144   | 13.500                     | 161.800                      |
| S2146    | 2              | 14           | 144   | 15.800                     | 188.700                      |
| S2166    | 2              | 16           | 144   | 18.000                     | 215.700                      |
| S214156  | 2 1/4          | 15           | 144   | 19.000                     | 227.500                      |
| S21236   | 2 1/2          | 3            | 144   | 4.300                      | 50.600                       |
| S2123126 | 2 1/2          | 3 1/2        | 144   | 5.000                      | 59.000                       |
| S21246   | 2 1/2          | 4            | 144   | 5.700                      | 67.400                       |
| S21256   | 2 1/2          | 5            | 144   | 7.100                      | 84.300                       |
| S21266   | 2 1/2          | 6            | 144   | 8.500                      | 101.100                      |
| S21286   | 2 1/2          | 8            | 144   | 11.300                     | 134.800                      |
| S212106  | 2 1/2          | 10           | 144   | 14.100                     | 168.500                      |
| S212126  | 2 1/2          | 12           | 144   | 16.900                     | 202.200                      |

PAG. 28



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO SOLERA

EXTRUIDO 6061-T651 / 12 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO  | ESPESOR<br>(A) | ANCHO<br>(B) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|----------------|--------------|-------|----------------------------|------------------------------|
| S212146 | 2 1/2          | 14           | 144   | 19.700                     | 235.900                      |
| S212166 | 2 1/2          | 16           | 144   | 22.500                     | 269.600                      |
| S33126  | 3              | 3 1/2        | 144   | 5.900                      | 70.800                       |
| S346    | 3              | 4            | 144   | 6.800                      | 80.900                       |
| S366    | 3              | 6            | 144   | 10.200                     | 121.400                      |
| S3126   | 3              | 12           | 144   | 20.300                     | 242.700                      |
| S3166   | 3              | 16           | 144   | 27.000                     | 323.500                      |
| S312166 | 3 1/2          | 16           | 144   | 31.500                     | 377.400                      |
| S466    | 4              | 6            | 144   | 13.500                     | 161.800                      |
| S486    | 4              | 8            | 144   | 18.000                     | 215.700                      |
| S4146   | 4              | 14           | 144   | 31.500                     | 377.400                      |
| S4166   | 4              | 16           | 144   | 36.000                     | 431.400                      |

PAG. 29



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO TUBULAR REDONDO

EXTRUCTURAL 6061-T651 / 20 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO   |         | DIAM. EXT.<br>(A) | ESPEJOR<br>(T) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|----------|---------|-------------------|----------------|-------|----------------------------|------------------------------|
| T38050   | 6063-T5 | 3/8               | 0.050          | 240   | 0.100                      | 0.600                        |
| T12050   | 6063-T5 | 1/2               | 0.050          | 240   | 0.100                      | 0.800                        |
| T34116   |         | 3/4               | 1/16           | 240   | 0.100                      | 1.600                        |
| T341824  |         | 3/4               | 1/8            | 240   | 0.200                      | 2.800                        |
| T7818    |         | 7/8               | 1/8            | 240   | 0.200                      | 3.400                        |
| T1116    |         | 1                 | 1/16           | 240   | 0.200                      | 2.100                        |
| T11824   |         | 1                 | 1/8            | 240   | 0.200                      | 3.900                        |
| T114116  |         | 1 1/4             | 1/16           | 240   | 0.200                      | 2.700                        |
| T1141824 |         | 1 1/4             | 1/8            | 240   | 0.300                      | 5.000                        |
| T114516  |         | 1 1/4             | 5/16           | 156   | 0.600                      | 10.400                       |
| T13818   |         | 1 3/8             | 1/8            | 240   | 0.300                      | 5.600                        |
| T11216   |         | 1 1/2             | 1/16           | 240   | 0.200                      | 3.200                        |
| T1121824 |         | 1 1/2             | 1/8            | 240   | 0.400                      | 6.100                        |
| T11214   |         | 1 1/2             | 1/4            | 240   | 0.600                      | 11.100                       |
| T1341824 |         | 1 3/4             | 1/8            | 240   | 0.400                      | 7.200                        |
| T134316  |         | 1 3/4             | 3/16           | 240   | 0.600                      | 10.400                       |
| T13414   |         | 1 3/4             | 1/4            | 240   | 0.700                      | 13.300                       |
| T178316  |         | 1 7/8             | 3/16           | 240   | 0.600                      | 11.200                       |
| T2116    |         | 2                 | 1/16           | 240   | 0.300                      | 4.300                        |
| T21824   |         | 2                 | 1/8            | 240   | 0.500                      | 8.300                        |
| T21424   |         | 2                 | 1/4            | 240   | 0.800                      | 15.500                       |
| T214316  |         | 2 1/4             | 3/16           | 240   | 0.700                      | 13.700                       |
| T2121824 |         | 2 1/2             | 1/8            | 240   | 0.600                      | 10.500                       |
| T2121424 |         | 2 1/2             | 1/4            | 240   | 1.000                      | 19.900                       |
| T23418   |         | 2 3/4             | 1/8            | 240   | 0.600                      | 11.600                       |

PAG. 30



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## ALUMINIO TUBULAR REDONDO

EXTRUCTURAL 6061-T651 / 20 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO | DIAM. EXT.<br>(A) | ESPESOR<br>(T) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-------------------|----------------|-------|----------------------------|------------------------------|
| T31824 | 3                 | 1/8            | 240   | 0.700                      | 12.700                       |
| T31424 | 3                 | 1/4            | 240   | 1.300                      | 24.300                       |
| T31424 | 3                 | 1/4            | 240   | 1.300                      | 24.300                       |
| T31214 | 3 1/2             | 1/4            | 240   | 1.500                      | 28.700                       |
| T41824 | 4                 | 1/8            | 240   | 0.900                      | 17.100                       |
| T414   | 4                 | 1/4            | 240   | 1.700                      | 33.100                       |
| T41218 | 4 1/2             | 1/8            | 240   | 1.000                      | 19.300                       |
| T41214 | 4 1/2             | 1/4            | 240   | 1.900                      | 37.500                       |
| T51824 | 5                 | 1/8            | 240   | 1.100                      | 21.600                       |
| T514   | 5                 | 1/4            | 240   | 2.100                      | 42.000                       |
| T61824 | 6                 | 1/8            | 240   | 1.300                      | 26.000                       |
| T614   | 6                 | 1/4            | 240   | 2.000                      | 50.800                       |
| T61214 | 6 1/2             | 1/4            | 240   | 2.800                      | 55.200                       |

PAG. 31



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO TUBULAR CUADRADO

ESQUINAS CUADRADAS 6061-T651 / 20 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO   | (A)   | (T)  | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|----------|-------|------|-------|----------------------------|------------------------------|
| TC3418   | 3/4   | 1/8  | 240   | 0.200                      | 3.600                        |
| TC1116   | 1     | 1/16 | 240   | 0.200                      | 2.700                        |
| TC118    | 1     | 1/8  | 240   | 0.300                      | 5.000                        |
| TC11418  | 1 1/4 | 1/8  | 240   | 0.400                      | 6.400                        |
| TC112116 | 1 1/2 | 1/16 | 240   | 0.300                      | 4.100                        |
| TC11218  | 1 1/2 | 1/8  | 240   | 0.400                      | 7.800                        |
| TC11214  | 1 1/2 | 1/4  | 240   | 0.800                      | 4.100                        |
| TC13418  | 1 3/4 | 1/8  | 240   | 0.500                      | 9.200                        |
| TC2116   | 2     | 1/16 | 240   | 0.300                      | 5.500                        |
| TC218    | 2     | 1/8  | 240   | 0.600                      | 10.600                       |
| TC214    | 2     | 1/4  | 240   | 1.000                      | 19.700                       |
| TC21218  | 2 1/2 | 1/8  | 240   | 0.700                      | 13.400                       |
| TC21214  | 2 1/2 | 1/4  | 240   | 1.300                      | 25.300                       |
| TC318    | 3     | 1/8  | 240   | 0.900                      | 16.200                       |
| TC314    | 3     | 1/4  | 240   | 1.600                      | 30.900                       |
| TC31214  | 3 1/2 | 1/4  | 240   | 1.900                      | 36.600                       |
| TC418    | 4     | 1/8  | 240   | 1.100                      | 21.800                       |
| TC414    | 4     | 1/4  | 240   | 2.200                      | 42.200                       |
| TC518    | 5     | 1/8  | 240   | 1.400                      | 27.400                       |
| TC618    | 6     | 1/8  | 240   | 1.700                      | 33.000                       |
| TC614    | 6     | 1/4  | 240   | 3.300                      | 64.600                       |
| TC612    | 6     | 1/2  | 240   | 6.200                      | 123.600                      |
| TC814    | 8     | 1/4  | 240   | 4.400                      | 87.100                       |
| TC812    | 8     | 1/2  | 240   | 8.500                      | 168.500                      |

PAG. 32



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO TUBULAR RECTANGULAR

ESQUINAS CUADRADAS 6061-T651 / 20 PIES LARGO

ASTM B 221, AMS-QQ-A-200/8



| CODIGO     | (A)   | (B)   | (T) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|------------|-------|-------|-----|-------|----------------------------|------------------------------|
| TR1218     | 1     | 2     | 1/8 | 240   | 0.400                      | 7.800                        |
| TR1318     | 1     | 3     | 1/8 | 240   | 0.600                      | 10.600                       |
| TR112218   | 1 1/2 | 2     | 1/8 | 240   | 0.400                      | 9.200                        |
| TR11221218 | 1 1/2 | 2 1/2 | 1/8 | 240   | 0.400                      | 10.600                       |
| TR112318   | 1 1/2 | 3     | 1/8 | 240   | 0.400                      | 12.000                       |
| TR112418   | 1 1/2 | 4     | 1/8 | 240   | 0.400                      | 14.800                       |
| TR112618   | 1 1/2 | 6     | 1/8 | 240   | 0.400                      | 20.400                       |
| TR2318     | 2     | 3     | 1/8 | 240   | 0.700                      | 13.400                       |
| TR2314     | 2     | 3     | 1/4 | 240   | 1.300                      | 25.300                       |
| TR2418     | 2     | 4     | 1/8 | 240   | 0.900                      | 16.200                       |
| TR2414     | 2     | 4     | 1/4 | 240   | 1.600                      | 30.900                       |
| TR2618     | 2     | 6     | 1/8 | 240   | 1.100                      | 21.800                       |
| TR2614     | 2     | 6     | 1/4 | 240   | 2.200                      | 42.200                       |
| TR2818     | 2     | 8     | 1/8 | 240   | 1.400                      | 27.400                       |
| TR2814     | 2     | 8     | 1/4 | 240   | 2.700                      | 53.400                       |
| TR3414     | 3     | 4     | 1/4 | 240   | 1.900                      | 36.600                       |
| TR3614     | 3     | 6     | 1/4 | 240   | 2.400                      | 47.800                       |
| TR4614     | 4     | 6     | 1/4 | 240   | 2.700                      | 53.400                       |
| TR4612     | 4     | 6     | 1/2 | 240   | 5.100                      | 101.100                      |

PAG. 33



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# ALUMINIO BARRA HUECA

EXTRUCTURAL 6061-T651 / 20 PIES LARGO

ASTM B 429, AMS-QQ-A-200/8



| CODIGO  | DIAM. EXT.<br>(A) | ESPESOR<br>(T) | LARGO | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|---------|-------------------|----------------|-------|----------------------------|------------------------------|
| T212    | 2                 | 1/2            | 240   | 1.400                      | 26.500                       |
| T21212  | 2 1/2             | 1/2            | 240   | 1.800                      | 35.300                       |
| T338    | 3                 | 3/8            | 240   | 1.800                      | 34.800                       |
| T312    | 3                 | 1/2            | 240   | 2.300                      | 44.200                       |
| T31438  | 3 1/4             | 3/8            | 240   | 2.000                      | 38.100                       |
| T31434  | 3 1/4             | 3/4            | 240   | 3.400                      | 66.200                       |
| T312516 | 3 1/2             | 5/16           | 240   | 1.800                      | 35.200                       |
| T31238  | 3 1/2             | 3/8            | 240   | 2.100                      | 41.400                       |
| T412    | 4                 | 1/2            | 240   | 3.100                      | 61.800                       |
| T41412  | 4 1/4             | 1/2            | 240   | 3.400                      | 66.200                       |
| T41212  | 4 1/2             | 1/2            | 240   | 3.600                      | 70.600                       |
| T512    | 5                 | 1/2            | 156   | 4.000                      | 79.400                       |
| T51238  | 5 1/2             | 3/8            | 240   | 3.400                      | 67.900                       |
| T51212  | 5 1/2             | 1/2            | 240   | 4.500                      | 88.300                       |
| T612    | 6                 | 1/2            | 240   | 4.900                      | 97.100                       |
| T61212  | 6 1/2             | 1/2            | 240   | 5.300                      | 105.900                      |
| T712    | 7                 | 1/2            | 240   | 5.800                      | 114.700                      |
| T71212  | 7 1/2             | 1/2            | 240   | 6.200                      | 123.600                      |
| T712112 | 7 1/2             | 1              | 1/2   | 15.900                     | 317.600                      |
| T838    | 8                 | 3/8            | 240   | 5.100                      | 100.900                      |
| T812    | 8                 | 1/2            | 240   | 6.700                      | 132.400                      |
| T834    | 8                 | 3/4            | 240   | 9.600                      | 191.900                      |
| T81212  | 8 1/2             | 1/2            | 240   | 7.100                      | 141.200                      |
| T914    | 9                 | 1/4            | 240   | 3.900                      | 77.200                       |

PAG. 34



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX



## ALUMINIO HEXAGONAL

EXTRUIDO 6061-T6 / 12 PIES LARGO  
ASTM B 221, AMS-QQ-A-200/8



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| H38    | 3/8             | 144                 | 0.100                      | 0.900                        |
| H716   | 7/16            | 144                 | 0.100                      | 1.100                        |
| H12    | 1/2             | 144                 | 0.200                      | 1.500                        |
| H58    | 5/8             | 144                 | 0.200                      | 2.300                        |
| H34    | 3/4             | 144                 | 0.300                      | 3.300                        |
| H78    | 7/8             | 144                 | 0.400                      | 4.500                        |
| H12    | 1               | 144                 | 0.500                      | 5.800                        |
| H112   | 1 1/2           | 144                 | 1.100                      | 12.700                       |
| H2     | 2               | 144                 | 1.900                      | 22.500                       |




PAG. 35

ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## LATON HEXAGONAL

FOSFORADO 360 / 12 PIES LARGO



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| LH14   | 1/4             | 144                 | 0.092                      | 1.100                        |
| LH516  | 5/16            | 144                 | 0.142                      | 1.700                        |
| LH38   | 3/8             | 144                 | 0.208                      | 2.500                        |
| LH716  | 7/16            | 144                 | 0.283                      | 3.400                        |
| LH12   | 1/2             | 144                 | 0.367                      | 4.400                        |
| LH916  | 9/16            | 144                 | 0.458                      | 5.500                        |
| LH58   | 5/8             | 144                 | 0.567                      | 6.800                        |
| LH34   | 3/4             | 144                 | 0.817                      | 9.800                        |
| LH78   | 7/8             | 144                 | 1.117                      | 13.400                       |
| LH1    | 1               | 144                 | 1.450                      | 17.400                       |
| LH118  | 1 1/8           | 144                 | 1.833                      | 22.000                       |
| LH112  | 1 1/2           | 144                 | 3.258                      | 39.100                       |


PAG. 36



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## LATON REDONDO

FOSFORADO 360 / 12 PIES LARGO



| CODIGO | A | (PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|---|------------|---------------------|----------------------------|------------------------------|
| LR18   |   | 1/8        | 144                 | 0.025                      | 0.300                        |
| LR532  |   | 5/32       | 144                 | 0.042                      | 0.500                        |
| LR316  |   | 3/16       | 144                 | 0.050                      | 0.600                        |
| LR14   |   | 1/4        | 144                 | 0.092                      | 1.100                        |
| LR516  |   | 5/16       | 144                 | 0.142                      | 1.700                        |
| LR38   |   | 3/8        | 144                 | 0.200                      | 2.400                        |
| LR716  |   | 7/16       | 144                 | 0.267                      | 3.200                        |
| LR12   |   | 1/2        | 144                 | 0.350                      | 4.200                        |
| LR916  |   | 9/16       | 144                 | 0.442                      | 5.300                        |
| LR58   |   | 5/8        | 144                 | 0.542                      | 6.500                        |
| LR34   |   | 3/4        | 144                 | 0.775                      | 9.300                        |
| LR1316 |   | 13/16      | 144                 | 0.917                      | 11.000                       |
| LR78   |   | 7/8        | 144                 | 1.058                      | 12.700                       |
| LR1    |   | 1          | 144                 | 1.383                      | 16.600                       |
| LR118  | 1 | 1/8        | 144                 | 1.750                      | 21.000                       |
| LR114  | 1 | 1/4        | 144                 | 2.158                      | 25.900                       |
| LR112  | 1 | 1/2        | 144                 | 3.100                      | 37.200                       |
| LR134  | 1 | 3/4        | 144                 | 4.217                      | 50.600                       |

PAG. 37



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## LATON CUADRADO

FOSFORADO 360 / 12 PIES LARGO



| CODIGO | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIE<br>(ESTIMADO) | PESO POR PIEZA<br>(ESTIMADO) |
|--------|-----------------|---------------------|----------------------------|------------------------------|
| LC316  | 3/16            | 144                 | 0.058                      | 0.700                        |
| LC12   | 1/2             | 144                 | 0.425                      | 5.100                        |
| LC12   | 1               | 144                 | 1.675                      | 20.100                       |




PAG. 38

ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# BARRA REDONDA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | A<br>(PULGADAS) | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|---------------------|
| NTR3824            | NGR3824            | N2R3824                    | NTR3824              | DTR3824             | 3/8             | 24                  |
| NTR3848            | NGR3848            | N2R3848                    | NTR3848              | DTR3848             | 3/8             | 48                  |
| NTR38120           | NGR38120           | N2R38120                   | NTR38120             | DTR38120            | 3/8             | 120                 |
| NTR1224            | NGR1224            | N2R1224                    | NTR1224              | DTR1224             | 1/2             | 24                  |
| NTR1248            | NGR1248            | N2R1248                    | NTR1248              | DTR1248             | 1/2             | 48                  |
| NTR12120           | NGR12120           | N2R12120                   | NTR12120             | DTR12120            | 1/2             | 120                 |
| NTR5824            | NGR5824            | N2R5824                    | NTR5824              | DTR5824             | 5/8             | 24                  |
| NTR5848            | NGR5848            | N2R5848                    | NTR5848              | DTR5848             | 5/8             | 48                  |
| NTR58120           | NGR58120           | N2R58120                   | NTR58120             | DTR58120            | 5/8             | 120                 |
| NTR3424            | NGR3424            | N2R3424                    | NTR3424              | DTR3424             | 3/4             | 24                  |
| NTR3448            | NGR3448            | N2R3448                    | NTR3448              | DTR3448             | 3/4             | 48                  |
| NTR34120           | NGR34120           | N2R34120                   | NTR34120             | DTR34120            | 3/4             | 120                 |
| NTR1248            | NGR1248            | N2R1248                    | NTR1248              | DTR124              | 1               | 24                  |
| NTR148             | NGR148             | N2R148                     | NTR148               | DTR148              | 1               | 48                  |
| NTR1120            | NGR1120            | N2R1120                    | NTR1120              | DTR1120             | 1               | 120                 |
| NTR11424           | NGR11424           | N2R11424                   | NTR11424             | DTR11424            | 1 1/4           | 24                  |
| NTR11448           | NGR11448           | N2R11448                   | NTR11448             | DTR11448            | 1 1/4           | 48                  |
| NTR114120          | NGR114120          | N2R114120                  | NTR114120            | DTR114120           | 1 1/4           | 120                 |
| NTR11224           | NGR11224           | N2R11224                   | NTR11224             | DTR11224            | 1 1/2           | 24                  |
| NTR11248           | NGR11248           | N2R11248                   | NTR11248             | DTR11248            | 1 1/2           | 48                  |
| NTR112120          | NGR112120          | N2R112120                  | NTR112120            | DTR112120           | 1 1/2           | 120                 |
| NTR13424           | NGR13424           | N2R13424                   | NTR13424             | DTR13424            | 1 3/4           | 24                  |
| NTR13448           | NGR13448           | N2R13448                   | NTR13448             | DTR13448            | 1 3/4           | 48                  |
| NTR134120          | NGR134120          | N2R134120                  | NTR134120            | DTR134120           | 1 3/4           | 120                 |
| NTR224             | NGR224             | N2R224                     | NTR224               | DTR224              | 2               | 24                  |


PAG. 39



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# BARRA REDONDA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | A<br>(PULGADAS) | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|---------------------|
| NYR248             | NGR248             | N2R248                     | NTR248               | DTR248              | 2               | 48                  |
| NYR2120            | NGR2120            | N2R2120                    | NTR2120              | DTR2120             | 2               | 120                 |
| NYR21424           | NGR21424           | N2R21424                   | NTR21424             | DTR21424            | 2 1/4           | 24                  |
| NYR21448           | NGR21448           | N2R21448                   | NTR21448             | DTR21448            | 2 1/4           | 48                  |
| NYR214120          | NGR214120          | N2R214120                  | NTR214120            | DTR214120           | 2 1/4           | 120                 |
| NYR21224           | NGR21224           | N2R21224                   | NTR21224             | DTR21224            | 2 1/2           | 24                  |
| NYR21248           | NGR21248           | N2R21248                   | NTR21248             | DTR21248            | 2 1/2           | 48                  |
| NYR212120          | NGR212120          | N2R212120                  | NTR212120            | DTR212120           | 2 1/2           | 120                 |
| NYR23424           | NGR23424           | N2R23424                   | NTR23424             | DTR23424            | 2 3/4           | 24                  |
| NYR23448           | NGR23448           | N2R23448                   | NTR23448             | DTR23448            | 2 3/4           | 48                  |
| NYR234120          | NGR234120          | N2R234120                  | NTR234120            | DTR234120           | 2 3/4           | 120                 |
| NYR324             | NGR324             | N2R324                     | NTR324               | DTR324              | 3               | 24                  |
| NYR348             | NGR348             | N2R348                     | NTR348               | DTR348              | 3               | 48                  |
| NYR3120            | NGR3120            | N2R3120                    | NTR3120              | DTR3120             | 3               | 120                 |
| NYR31424           | NGR31424           | N2R31424                   | NTR31424             | DTR31424            | 3 1/4           | 24                  |
| NYR31448           | NGR31448           | N2R31448                   | NTR31448             | DTR31448            | 3 1/4           | 48                  |
| NYR314120          | NGR314120          | N2R314120                  | NTR314120            | DTR314120           | 3 1/4           | 120                 |
| NYR31224           | NGR31224           | N2R31224                   | NTR31224             | DTR31224            | 3 1/2           | 24                  |
| NYR31248           | NGR31248           | N2R31248                   | NTR31248             | DTR31248            | 3 1/2           | 48                  |
| NYR312120          | NGR312120          | N2R312120                  | NTR312120            | DTR312120           | 3 1/2           | 120                 |
| NYR33424           | NGR33424           | N2R33424                   | NTR33424             | DTR33424            | 3 3/4           | 24                  |
| NYR33448           | NGR33448           | N2R33448                   | NTR33448             | DTR33448            | 3 3/4           | 48                  |
| NYR334120          | NGR334120          | N2R334120                  | NTR334120            | DTR334120           | 3 3/4           | 120                 |
| NYR424             | NGR424             | N2R424                     | NTR424               | DTR424              | 4               | 24                  |
| NYR448             | NGR448             | N2R448                     | NTR448               | DTR448              | 4               | 48                  |

PAG. 40




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## BARRA REDONDA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | A<br>(PULGADAS) | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|---------------------|
| NYR4120            | NGR4120            | N2R4120                    | NTR4120              | DTR4120             | 4               | 120                 |
| NYR41224           | NGR41224           | N2R41224                   | NTR41224             | DTR41224            | 4 1/2           | 24                  |
| NYR41248           | NGR41248           | N2R41248                   | NTR41248             | DTR41248            | 4 1/2           | 48                  |
| NYR412120          | NGR412120          | N2R412120                  | NTR412120            | DTR412120           | 4 1/2           | 120                 |
| NYR524             | NGR524             | N2R524                     | NTR524               | DTR524              | 5               | 24                  |
| NYR548             | NGR548             | N2R548                     | NTR548               | DTR548              | 5               | 48                  |
| NYR5120            | NGR5120            | N2R5120                    | NTR5120              | DTR5120             | 5               | 120                 |
| NYR51224           | NGR51224           | N2R51224                   | NTR51224             | DTR51224            | 5 1/2           | 24                  |
| NYR51248           | NGR51248           | N2R51248                   | NTR51248             | DTR51248            | 5 1/2           | 48                  |
| NYR512120          | NGR512120          | N2R512120                  | NTR512120            | DTR512120           | 5 1/2           | 120                 |
| NYR624             | NGR624             | N2R624                     | NTR624               | DTR624              | 6               | 24                  |
| NYR648             | NGR648             | N2R648                     | NTR648               | DTR648              | 6               | 48                  |
| NYR6120            | NGR6120            | N2R6120                    | NTR6120              | DTR6120             | 6               | 120                 |
| NYR61224           | NGR61224           | N2R61224                   | NTR61224             | DTR61224            | 6 1/2           | 24                  |
| NYR61248           | NGR61248           | N2R61248                   | NTR61248             | DTR61248            | 6 1/2           | 48                  |
| NYR612120          | NGR612120          | N2R612120                  | NTR612120            | DTR612120           | 6 1/2           | 120                 |
| NYR724             | NGR724             | N2R724                     | NTR724               | DTR724              | 7               | 24                  |
| NYR748             | NGR748             | N2R748                     | NTR748               | DTR748              | 7               | 48                  |
| NYR7120            | NGR7120            | N2R7120                    | NTR7120              | DTR7120             | 7               | 120                 |
| NYR71224           | NGR71224           | N2R71224                   | NTR71224             | DTR71224            | 7 1/2           | 24                  |
| NYR71248           | NGR71248           | N2R71248                   | NTR71248             | DTR71248            | 7 1/2           | 48                  |
| NYR712120          | NGR712120          | N2R712120                  | NTR712120            | DTR712120           | 7 1/2           | 120                 |
| NYR824             | NGR824             | N2R824                     | NTR824               | DTR824              | 8               | 24                  |
| NYR848             | NGR848             | N2R848                     | NTR848               | DTR848              | 8               | 48                  |
| NYR8120            | NGR8120            | N2R8120                    | NTR8120              | DTR8120             | 8               | 120                 |

PAG. 41




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## BARRA REDONDA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | A<br>(PULGADAS) | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|---------------------|
| NYR924             | NGR924             | N2R924                     | NTR924               | DTR924              | 9               | 24                  |
| NYR948             | NGR948             | N2R948                     | NTR948               | DTR948              | 9               | 48                  |
| NYR1024            | NGR1024            | N2R1024                    | NTR1024              | DTR1024             | 10              | 24                  |
| NYR1048            | NGR1048            | N2R1048                    | NTR1048              | DTR1048             | 10              | 48                  |
| NYR1124            | NGR1124            | N2R1124                    | NTR1124              | DTR1124             | 11              | 24                  |
| NYR1148            | NGR1148            | N2R1148                    | NTR1148              | DTR1148             | 11              | 48                  |
| NYR1224            | NGR1224            | N2R1224                    | NTR1224              | DTR1224             | 12              | 24                  |
| NYR1248            | NGR1248            | N2R1248                    | NTR1248              | DTR1248             | 12              | 48                  |
| NYR1324            | NGR1324            | N2R1324                    | NTR1324              | DTR1324             | 13*             | 24                  |
| NYR1424            | NGR1424            | N2R1424                    | NTR1424              | DTR1424             | 14*             | 24                  |
| NYR1524            | NGR1524            | N2R1524                    | NTR1524              | DTR1524             | 15*             | 24                  |
| NYR1624            | NGR1624            | N2R1624                    | NTR1624              | DTR1624             | 16*             | 24                  |

\* LARGO DE 48" SOBRE PEDIDO

PAG. 42



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX



## BARRA CUADRADA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | A<br>(PULGADAS) | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|---------------------|
| NYC124             | NGC124             | N2C124                     | NTC124               | DTC124              | 1               | 24                  |
| NYC148             | NGC148             | N2C148                     | NTC148               | DTC148              | 1               | 48                  |
| NYC11424           | NGC11424           | N2C11424                   | NTC11424             | DTC11424            | 1 1/4           | 24                  |
| NYC11448           | NGC11448           | N2C11448                   | NTC11448             | DTC11448            | 1 1/4           | 48                  |
| NYC11224           | NGC11224           | N2C11224                   | NTC11224             | DTC11224            | 1 1/2           | 24                  |
| NYC11248           | NGC11248           | N2C11248                   | NTC11248             | DTC11248            | 1 1/2           | 48                  |
| NYC224             | NGC224             | N2C224                     | NTC224               | DTC224              | 2               | 24                  |
| NYC248             | NGC248             | N2C248                     | NTC248               | DTC248              | 2               | 48                  |
| NYC21224           | NGC21224           | N2C21224                   | NTC21224             | DTC21224            | 2 1/2           | 24                  |
| NYC21248           | NGC21248           | N2C21248                   | NTC21248             | DTC21248            | 2 1/2           | 48                  |
| NYC324             | NGC324             | N2C324                     | NTC324               | DTC324              | 3               | 24                  |
| NYC348             | NGC348             | N2C348                     | NTC348               | DTC348              | 3               | 48                  |
| NYC31224           | NGC31224           | N2C31224                   | NTC31224             | DTC31224            | 3 1/2           | 24                  |
| NYC31248           | NGC31248           | N2C31248                   | NTC31248             | DTC31248            | 3 1/2           | 48                  |
| NYC424             | NGC424             | N2C424                     | NTC424               | DTC424              | 4               | 24                  |
| NYC448             | NGC448             | N2C448                     | NTC448               | DTC448              | 4               | 48                  |
| NYC524             | NGC524             | N2C524                     | NTC524               | DTC524              | 5               | 24                  |
| NYC548             | NGC548             | N2C548                     | NTC548               | DTC548              | 5               | 48                  |
| NYC624             | NGC624             | N2C624                     | NTC624               | DTC624              | 6               | 24                  |
| NYC648             | NGC648             | N2C648                     | NTC648               | DTC648              | 6               | 48                  |
| NYC724             | NGC724             | N2C724                     | NTC724               | DTC724              | 7               | 24                  |
| NYC748             | NGC748             | N2C748                     | NTC748               | DTC748              | 7               | 48                  |
| NYC824             | NGC824             | N2C824                     | NTC824               | DTC824              | 8               | 24                  |
| NYC848             | NGC848             | N2C848                     | NTC848               | DTC848              | 8               | 48                  |


PAG. 43



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# BARRA HUECA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | A<br>(PULGADAS) | T     | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|-------|---------------------|
| NYB21              | NGB21              | N2B21                      | NTB21                | DTB21               | 2               | 1/2   | 24                  |
| NYB2121            | NGB2121            | N2B2121                    | NTB2121              | DTB2121             | 2 1/2           | 3/4   | 24                  |
| NYB212112          | NGB212112          | N2B212112                  | NTB212112            | DTB212112           | 2 1/2           | 1/2   | 24                  |
| NYB31              | NGB31              | N2B31                      | NTB31                | DTB31               | 3               | 1     | 24                  |
| NYB3112            | NGB3112            | N2B3112                    | NTB3112              | DTB3112             | 3               | 3/4   | 24                  |
| NYB3141            | NGB3141            | N2B3141                    | NTB3141              | DTB3141             | 3 1/4           | 1 1/8 | 24                  |
| NYB314112          | NGB314112          | N2B314112                  | NTB314112            | DTB314112           | 3 1/4           | 7/8   | 24                  |
| NYB3121            | NGB3121            | N2B3121                    | NTB3121              | DTB3121             | 3 1/2           | 1 1/4 | 24                  |
| NYB312112          | NGB312112          | N2B312112                  | NTB312112            | DTB312112           | 3 1/2           | 1     | 24                  |
| NYB312134          | NGB312134          | N2B312134                  | NTB312134            | DTB312134           | 3 1/2           | 7/8   | 24                  |
| NYB41              | NGB41              | N2B41                      | NTB41                | DTB41               | 4               | 1 1/2 | 24                  |
| NYB4112            | NGB4112            | N2B4112                    | NTB4112              | DTB4112             | 4               | 1 1/4 | 24                  |
| NYB4212            | NGB4212            | N2B4212                    | NTB4212              | DTB4212             | 4               | 3/4   | 24                  |
| NYB4121            | NGB4121            | N2B4121                    | NTB4121              | DTB4121             | 4 1/2           | 1 3/4 | 24                  |
| NYB412112          | NGB412112          | N2B412112                  | NTB412112            | DTB412112           | 4 1/2           | 1 1/2 | 24                  |
| NYB412212          | NGB412212          | N2B412212                  | NTB412212            | DTB412212           | 4 1/2           | 1     | 24                  |
| NYB51              | NGB51              | N2B51                      | NTB51                | DTB51               | 5               | 2     | 24                  |
| NYB5112            | NGB5112            | N2B5112                    | NTB5112              | DTB5112             | 5               | 1 3/4 | 24                  |
| NYB5212            | NGB5212            | N2B5212                    | NTB5212              | DTB5212             | 5               | 1 1/4 | 24                  |
| NYB5312            | NGB5312            | N2B5312                    | NTB5312              | DTB5312             | 5               | 3/4   | 24                  |
| NYB5121            | NGB5121            | N2B5121                    | NTB5121              | DTB5121             | 5 1/2           | 2 1/4 | 24                  |
| NYB512112          | NGB512112          | N2B512112                  | NTB512112            | DTB512112           | 5 1/2           | 2     | 24                  |
| NYB512212          | NGB512212          | N2B512212                  | NTB512212            | DTB512212           | 5 1/2           | 1 1/2 | 24                  |
| NYB61              | NGB61              | N2B61                      | NTB61                | DTB61               | 6               | 2 1/2 | 24                  |
| NYB6112            | NGB6112            | N2B6112                    | NTB6112              | DTB6112             | 6               | 2 1/4 | 24                  |


PAG. 44



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# BARRA HUECA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | A<br>(PULGADAS) | T     | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|-------|---------------------|
| NYB21              | NGB21              | N2B21                      | NTB21                | DTB21               | 6               | 1     | 24                  |
| NYB2121            | NGB2121            | N2B2121                    | NTB2121              | DTB2121             | 6 1/2           | 2 3/4 | 24                  |
| NYB212112          | NGB212112          | N2B212112                  | NTB212112            | DTB212112           | 6 1/2           | 2 1/2 | 24                  |
| NYB31              | NGB31              | N2B31                      | NTB31                | DTB31               | 6 1/2           | 2     | 24                  |
| NYB3112            | NGB3112            | N2B3112                    | NTB3112              | DTB3112             | 6 1/2           | 1     | 24                  |
| NYB3141            | NGB3141            | N2B3141                    | NTB3141              | DTB3141             | 7               | 3     | 24                  |
| NYB314112          | NGB314112          | N2B314112                  | NTB314112            | DTB314112           | 7               | 2 3/4 | 24                  |
| NYB3121            | NGB3121            | N2B3121                    | NTB3121              | DTB3121             | 7               | 2 1/4 | 24                  |
| NYB312112          | NGB312112          | N2B312112                  | NTB312112            | DTB312112           | 7               | 1/2   | 24                  |
| NYB312134          | NGB312134          | N2B312134                  | NTB312134            | DTB312134           | 8               | 3 1/2 | 24                  |
| NYB41              | NGB41              | N2B41                      | NTB41                | DTB41               | 8               | 3 1/4 | 24                  |
| NYB4112            | NGB4112            | N2B4112                    | NTB4112              | DTB4112             | 8               | 2 3/4 | 24                  |
| NYB4212            | NGB4212            | N2B4212                    | NTB4212              | DTB4212             | 8               | 1     | 24                  |
| NYB4121            | NGB4121            | N2B4121                    | NTB4121              | DTB4121             | 9               | 4     | 24                  |
| NYB412112          | NGB412112          | N2B412112                  | NTB412112            | DTB412112           | 9               | 3 3/4 | 24                  |
| NYB412212          | NGB412212          | N2B412212                  | NTB412212            | DTB412212           | 9               | 3 1/2 | 24                  |
| NYB51              | NGB51              | N2B51                      | NTB51                | DTB51               | 9               | 3 1/4 | 24                  |
| NYB5112            | NGB5112            | N2B5112                    | NTB5112              | DTB5112             | 9               | 3     | 24                  |
| NYB5212            | NGB5212            | N2B5212                    | NTB5212              | DTB5212             | 9               | 2 3/4 | 24                  |
| NYB5312            | NGB5312            | N2B5312                    | NTB5312              | DTB5312             | 9               | 2 1/2 | 24                  |
| NYB5121            | NGB5121            | N2B5121                    | NTB5121              | DTB5121             | 10              | 4 1/2 | 24                  |
| NYB512112          | NGB512112          | N2B512112                  | NTB512112            | DTB512112           | 10              | 4 1/4 | 24                  |
| NYB512212          | NGB512212          | N2B512212                  | NTB512212            | DTB512212           | 10              | 3 3/4 | 24                  |
| NYB61              | NGB61              | N2B61                      | NTB61                | DTB61               | 10              | 2 1/2 | 24                  |
| NYB6112            | NGB6112            | N2B6112                    | NTB6112              | DTB6112             | 11              | 5     | 24                  |

PAG. 45




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## BARRA HUECA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DURAPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | A<br>(PULGADAS) | T     | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|-------|---------------------|
| NYB11112           | NGB11112           | N2B11112                   | NTB11112             | DTB11112            | 11              | 4 3/4 | 24                  |
| NYB11212           | NGB11212           | N2B11212                   | NTB11212             | DTB11212            | 11              | 4 1/4 | 24                  |
| NYB118             | NGB118             | N2B118                     | NTB118               | DTB118              | 11              | 1 1/2 | 24                  |
| NYB121             | NGB121             | N2B121                     | NTB121               | DTB121              | 12              | 5 1/2 | 24                  |
| NYB12112           | NGB12112           | N2B12112                   | NTB12112             | DTB12112            | 12              | 5 1/4 | 24                  |
| NYB12212           | NGB12212           | N2B12212                   | NTB12212             | DTB12212            | 12              | 4 3/4 | 24                  |
| NYB126             | NGB126             | N2B126                     | NTB126               | DTB126              | 12              | 3     | 24                  |

PAG. 46




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# PLACA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | T<br>(PULGADAS) | ANCHO<br>(PULGADAS) | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|---------------------|---------------------|
| NYP1422            | NGP1422            | N2P1422                    | NTP1422              | DTP1422             | 1/4             | 24                  | 24                  |
| NYP1424            | NGP1424            | N2P1424                    | NTP1424              | DTP1424             | 1/4             | 24                  | 48                  |
| NYP14210           | NGP14210           | N2P14210                   | NTP14210             | DTP14210            | 1/4             | 24                  | 120                 |
| NYP1433            | NGP1433            | N2P1433                    | NTP1433              | DTP1433             | 1/4             | 33                  | 34                  |
| NYP1411            | NGP1411            | N2P1411                    | NTP1411              | DTP1411             | 1/4             | 39 3/8              | 39 3/8              |
| NYP1444            | NGP1444            | N2P1444                    | NTP1444              | DTP1444             | 1/4             | 48                  | 48                  |
| NYP14410           | NGP14410           | N2P14410                   | NTP14410             | DTP14410            | 1/4             | 48                  | 120                 |
| NYP3822            | NGP3822            | N2P3822                    | NTP3822              | DTP3822             | 3/8             | 24                  | 24                  |
| NYP3824            | NGP3824            | N2P3824                    | NTP3824              | DTP3824             | 3/8             | 24                  | 48                  |
| NYP38210           | NGP38210           | N2P38210                   | NTP38210             | DTP38210            | 3/8             | 24                  | 120                 |
| NYP3833            | NGP3833            | N2P3833                    | NTP3833              | DTP3833             | 3/8             | 33                  | 34                  |
| NYP3811            | NGP3811            | N2P3811                    | NTP3811              | DTP3811             | 3/8             | 39 3/8              | 39 3/8              |
| NYP3844            | NGP3844            | N2P3844                    | NTP3844              | DTP3844             | 3/8             | 48                  | 48                  |
| NYP38410           | NGP38410           | N2P38410                   | NTP38410             | DTP38410            | 3/8             | 48                  | 120                 |
| NYP1222            | NGP1222            | N2P1222                    | NTP1222              | DTP1222             | 1/2             | 24                  | 24                  |
| NYP1224            | NGP1224            | N2P1224                    | NTP1224              | DTP1224             | 1/2             | 24                  | 48                  |
| NYP12210           | NGP12210           | N2P12210                   | NTP12210             | DTP12210            | 1/2             | 24                  | 120                 |
| NYP1233            | NGP1233            | N2P1233                    | NTP1233              | DTP1233             | 1/2             | 33                  | 34                  |
| NYP1211            | NGP1211            | N2P1211                    | NTP1211              | DTP1211             | 1/2             | 39 3/8              | 39 3/8              |
| NYP1244            | NGP1244            | N2P1244                    | NTP1244              | DTP1244             | 1/2             | 48                  | 48                  |
| NYP12410           | NGP12410           | N2P12410                   | NTP12410             | DTP12410            | 1/2             | 48                  | 120                 |
| NYP5822            | NGP5822            | N2P5822                    | NTP5822              | DTP5822             | 5/8             | 24                  | 24                  |
| NYP5824            | NGP5824            | N2P5824                    | NTP5824              | DTP5824             | 5/8             | 24                  | 48                  |
| NYP58210           | NGP58210           | N2P58210                   | NTP58210             | DTP58210            | 5/8             | 24                  | 120                 |
| NYP5833            | NGP5833            | N2P5833                    | NTP5833              | DTP5833             | 5/8             | 33                  | 34                  |


PAG. 47



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# PLACA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | T<br>(PULGADAS) | ANCHO<br>(PULGADAS) | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|---------------------|---------------------|
| NYP5811            | NGP5811            | N2P5811                    | NTP5811              | DTP5811             | 5/8             | 39 3/8              | 39 3/8              |
| NYP5844            | NGP5844            | N2P5844                    | NTP5844              | DTP5844             | 5/8             | 48                  | 48                  |
| NYP58410           | NGP58410           | N2P58410                   | NTP58410             | DTP58410            | 5/8             | 48                  | 120                 |
| NYP3422            | NGP3422            | N2P3422                    | NTP3422              | DTP3422             | 3/4             | 24                  | 24                  |
| NYP3424            | NGP3424            | N2P3424                    | NTP3424              | DTP3424             | 3/4             | 24                  | 48                  |
| NYP34210           | NGP34210           | N2P34210                   | NTP34210             | DTP34210            | 3/4             | 24                  | 120                 |
| NYP3433            | NGP3433            | N2P3433                    | NTP3433              | DTP3433             | 3/4             | 33                  | 34                  |
| NYP3411            | NGP3411            | N2P3411                    | NTP3411              | DTP3411             | 3/4             | 39 3/8              | 39 3/8              |
| NYP3444            | NGP3444            | N2P3444                    | NTP3444              | DTP3444             | 3/4             | 48                  | 48                  |
| NYP34410           | NGP34410           | N2P34410                   | NTP34410             | DTP34410            | 3/4             | 48                  | 120                 |
| NYP122             | NGP122             | N2P122                     | NTP122               | DTP122              | 1               | 24                  | 24                  |
| NYP124             | NGP124             | N2P124                     | NTP124               | DTP124              | 1               | 24                  | 48                  |
| NYP1210            | NGP1210            | N2P1210                    | NTP1210              | DTP1210             | 1               | 24                  | 120                 |
| NYP133             | NGP133             | N2P133                     | NTP133               | DTP133              | 1               | 33                  | 34                  |
| NYP111             | NGP111             | N2P111                     | NTP111               | DTP111              | 1               | 39 3/8              | 39 3/8              |
| NYP144             | NGP144             | N2P144                     | NTP144               | DTP144              | 1               | 48                  | 48                  |
| NYP1410            | NGP1410            | N2P1410                    | NTP1410              | DTP1410             | 1               | 48                  | 120                 |
| NYP11422           | NGP11422           | N2P11422                   | NTP11422             | DTP11422            | 1 1/4           | 24                  | 24                  |
| NYP11424           | NGP11424           | N2P11424                   | NTP11424             | DTP11424            | 1 1/4           | 24                  | 48                  |
| NYP114210          | NGP114210          | N2P114210                  | NTP114210            | DTP114210           | 1 1/4           | 24                  | 120                 |
| NYP11433           | NGP11433           | N2P11433                   | NTP11433             | DTP11433            | 1 1/4           | 33                  | 34                  |
| NYP11411           | NGP11411           | N2P11411                   | NTP11411             | DTP11411            | 1 1/4           | 39 3/8              | 39 3/8              |
| NYP11444           | NGP11444           | N2P11444                   | NTP11444             | DTP11444            | 1 1/4           | 48                  | 48                  |
| NYP114410          | NGP114410          | N2P114410                  | NTP114410            | DTP114410           | 1 1/4           | 48                  | 120                 |
| NYP11222           | NGP11222           | N2P11222                   | NTP11222             | DTP11222            | 1 1/2           | 24                  | 24                  |


PAG. 48



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# PLACA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO NYLACERO | CODIGO NYLALLOY | CODIGO NYLACERO 2000 | CODIGO NYLACERO T | CODIGO DUROPLAST | T (PULGADAS) | ANCHO (PULGADAS) | LARGO (PULGADAS) |
|-----------------|-----------------|----------------------|-------------------|------------------|--------------|------------------|------------------|
| NYP11224        | NGP11224        | N2P11224             | NTP11224          | DTP11224         | 1 1/2        | 24               | 48               |
| NYP112210       | NGP112210       | N2P112210            | NTP112210         | DTP112210        | 1 1/2        | 24               | 120              |
| NYP11233        | NGP11233        | N2P11233             | NTP11233          | DTP11233         | 1 1/2        | 33               | 34               |
| NYP11211        | NGP11211        | N2P11211             | NTP11211          | DTP11211         | 1 1/2        | 39 3/8           | 39 3/8           |
| NYP11244        | NGP11244        | N2P11244             | NTP11244          | DTP11244         | 1 1/2        | 48               | 48               |
| NYP112410       | NGP112410       | N2P112410            | NTP112410         | DTP112410        | 1 1/2        | 48               | 120              |
| NYP13422        | NGP13422        | N2P13422             | NTP13422          | DTP13422         | 1 3/4        | 24               | 24               |
| NYP13424        | NGP13424        | N2P13424             | NTP13424          | DTP13424         | 1 3/4        | 24               | 48               |
| NYP134210       | NGP134210       | N2P134210            | NTP134210         | DTP134210        | 1 3/4        | 24               | 120              |
| NYP13433        | NGP13433        | N2P13433             | NTP13433          | DTP13433         | 1 3/4        | 33               | 34               |
| NYP13411        | NGP13411        | N2P13411             | NTP13411          | DTP13411         | 1 3/4        | 39 3/8           | 39 3/8           |
| NYP13444        | NGP13444        | N2P13444             | NTP13444          | DTP13444         | 1 3/4        | 48               | 48               |
| NYP134410       | NGP134410       | N2P134410            | NTP134410         | DTP134410        | 1 3/4        | 48               | 120              |
| NYP222          | NGP222          | N2P222               | NTP222            | DTP222           | 2            | 24               | 24               |
| NYP224          | NGP224          | N2P224               | NTP224            | DTP224           | 2            | 24               | 48               |
| NYP2210         | NGP2210         | N2P2210              | NTP2210           | DTP2210          | 2            | 24               | 120              |
| NYP233          | NGP233          | N2P233               | NTP233            | DTP233           | 2            | 33               | 34               |
| NYP211          | NGP211          | N2P211               | NTP211            | DTP211           | 2            | 39 3/8           | 39 3/8           |
| NYP244          | NGP244          | N2P244               | NTP244            | DTP244           | 2            | 48               | 48               |
| NYP2410         | NGP2410         | N2P2410              | NTP2410           | DTP2410          | 2            | 48               | 120              |
| NYP21422        | NGP21422        | N2P21422             | NTP21422          | DTP21422         | 2 1/4        | 24               | 24               |
| NYP21424        | NGP21424        | N2P21424             | NTP21424          | DTP21424         | 2 1/4        | 24               | 48               |
| NYP21444        | NGP21444        | N2P21444             | NTP21444          | DTP21444         | 2 1/4        | 48               | 48               |
| NYP21222        | NGP21222        | N2P21222             | NTP21222          | DTP21222         | 2 1/2        | 24               | 24               |
| NYP21224        | NGP21224        | N2P21224             | NTP21224          | DTP21224         | 2 1/2        | 24               | 48               |


PAG. 49



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

# PLACA

NYLACERO, NYLALLOY, NYLACERO 2000, NYLACERO T, DUROPLAST



| CODIGO<br>NYLACERO | CODIGO<br>NYLALLOY | CODIGO<br>NYLACERO<br>2000 | CODIGO<br>NYLACERO T | CODIGO<br>DUROPLAST | T<br>(PULGADAS) | ANCHO<br>(PULGADAS) | LARGO<br>(PULGADAS) |
|--------------------|--------------------|----------------------------|----------------------|---------------------|-----------------|---------------------|---------------------|
| NYP21244           | NGP21244           | N2P21244                   | NTP21244             | DTP21244            | 2 1/2           | 48                  | 48                  |
| NYP322             | NGP322             | N2P322                     | NTP322               | DTP322              | 3               | 24                  | 24                  |
| NYP324             | NGP324             | N2P324                     | NTP324               | DTP324              | 3               | 24                  | 48                  |
| NYP344             | NGP344             | N2P344                     | NTP344               | DTP344              | 3               | 48                  | 48                  |
| NYP31422           | NGP31422           | N2P31422                   | NTP31422             | DTP31422            | 3 1/4           | 24                  | 24                  |
| NYP31424           | NGP31424           | N2P31424                   | NTP31424             | DTP31424            | 3 1/4           | 24                  | 48                  |
| NYP31444           | NGP31444           | N2P31444                   | NTP31444             | DTP31444            | 3 1/4           | 48                  | 48                  |
| NYP31222           | NGP31222           | N2P31222                   | NTP31222             | DTP31222            | 3 1/2           | 24                  | 24                  |
| NYP31224           | NGP31224           | N2P31224                   | NTP31224             | DTP31224            | 3 1/2           | 24                  | 48                  |
| NYP31244           | NGP31244           | N2P31244                   | NTP31244             | DTP31244            | 3 1/2           | 48                  | 48                  |
| NYP422             | NGP422             | N2P422                     | NTP422               | DTP422              | 4               | 24                  | 24                  |
| NYP424             | NGP424             | N2P424                     | NTP424               | DTP424              | 4               | 24                  | 48                  |
| NYP444             | NGP444             | N2P444                     | NTP444               | DTP444              | 4               | 48                  | 48                  |
| NYP41222           | NGP41222           | N2P41222                   | NTP41222             | DTP41222            | 4 1/2           | 24                  | 24                  |
| NYP41224           | NGP41224           | N2P41224                   | NTP41224             | DTP41224            | 4 1/2           | 24                  | 48                  |
| NYP522             | NGP522             | N2P522                     | NTP522               | DTP522              | 5               | 24                  | 24                  |
| NYP524             | NGP524             | N2P524                     | NTP524               | DTP524              | 5               | 24                  | 48                  |
| NYP51222           | NGP51222           | N2P51222                   | NTP51222             | DTP51222            | 5 1/2           | 24                  | 24                  |
| NYP21224           | NGP21224           | N2P21224                   | NTP21224             | DTP21224            | 5 1/2           | 24                  | 48                  |
| NYP622             | NGP622             | N2P622                     | NTP622               | DTP622              | 6               | 24                  | 24                  |
| NYP624             | NGP624             | N2P624                     | NTP624               | DTP624              | 6               | 24                  | 48                  |

PAG. 50




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.  
 TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283  
 CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX



## BRONCE BARRA HUECA

SAE 64

ASTM B 584 C84400



| CODIGO     | DIAM. EXT.<br>(A) | ESPESOR<br>(T) | LARGO | PESO POR PIEZA<br>(ESTIMADO) |
|------------|-------------------|----------------|-------|------------------------------|
| BBH1123464 | 1 1/2             | 3/8            | 14    | 6.900                        |
| BBH112164  | 1 1/2             | 1/4            | 14    | 5.500                        |
| BBH2164    | 2                 | 1/2            | 14    | 5.600                        |
| BBH214164  | 2 1/4             | 5/8            | 14    | 7.400                        |
| BBH212164  | 2 1/2             | 3/4            | 14    | 9.500                        |
| BBH311264  | 3                 | 3/4            | 14    | 12.900                       |
| BBH313464  | 3                 | 5/8            | 14    | 10.900                       |
| BBH3264    | 3                 | 1/2            | 14    | 10.100                       |
| BBH321264  | 3                 | 1/4            | 14    | 5.900                        |
| BBH312264  | 3 1/2             | 3/4            | 14    | 14.800                       |
| BBH4264    | 4                 | 1              | 14    | 21.400                       |
| BBH412264  | 4 1/2             | 1 1/4          | 14    | 28.300                       |

PAG. 51



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## BRONCE BARRA HUECA

SAE 62

ASTM B505 C90500



| CODIGO      | DIAM. EXT.<br>(A) | ESPESOR<br>(T) | LARGO | PESO POR PIEZA<br>(ESTIMADO) |
|-------------|-------------------|----------------|-------|------------------------------|
| BBH134162   | 1 3/4             | 3/8            | 14    | 8.700                        |
| BBH13411462 | 1 3/4             | 1/4            | 14    | 7.100                        |
| BBH2162     | 2                 | 1/2            | 14    | 11.100                       |
| BBH211462   | 2                 | 3/8            | 14    | 9.300                        |
| BBH212162   | 2 1/2             | 3/4            | 14    | 9.400                        |
| BBH234162   | 2 3/4             | 7/8            | 14    | 11.900                       |
| BBH3162     | 3                 | 1              | 14    | 14.000                       |
| BBH31211262 | 3 1/2             | 1              | 14    | 17.300                       |
| BBH411262   | 4                 | 1 1/4          | 14    | 23.700                       |
| BBH5262     | 5                 | 1 1/2          | 14    | 36.200                       |

PAG. 52



ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.


TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## BRONCE REDONDO

SAE 64

ASTM B 584 C84400



| CODIGO   | A | (PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIEZA<br>(ESTIMADO) |
|----------|---|------------|---------------------|------------------------------|
| BRD3464  |   | 3/4        | 14                  | 2.500                        |
| BRD164   |   | 1          | 28                  | 4.100                        |
| BRD11264 |   | 1 1/2      | 28                  | 8.200                        |
| BRD13464 |   | 1 3/4      | 28                  | 10.700                       |
| BRD264   |   | 2          | 28                  | 13.900                       |
| BRD21264 |   | 2 1/2      | 14                  | 10.800                       |
| BRD364   |   | 3          | 14                  | 15.700                       |
| BRD31264 |   | 3 1/2      | 14                  | 20.900                       |
| BRD464   |   | 4          | 14                  | 27.300                       |
| BRD41264 |   | 4 1/2      | 14                  | 34.600                       |
| BRD564   |   | 5          | 14                  | 41.100                       |

PAG. 53




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## BRONCE REDONDO

SAE 62  
ASTM B505 C90500



| CODIGO   | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIEZA<br>(ESTIMADO) |
|----------|-----------------|---------------------|------------------------------|
| BRD3462  | 3/4             | 14                  | 2.300                        |
| BRD162   | 1               | 28                  | 3.700                        |
| BRD11462 | 1 1/4           | 28                  | 5.700                        |
| BRD11262 | 1 1/2           | 28                  | 8.200                        |
| BRD13462 | 1 3/4           | 28                  | 10.900                       |
| BRD262   | 2               | 14                  | 7.000                        |
| BRD21262 | 2 1/2           | 14                  | 11.100                       |
| BRD362   | 3               | 14                  | 16.100                       |
| BRD31262 | 3 1/2           | 14                  | 20.100                       |

PAG. 54




ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## BRONCE REDONDO

SAE 841 PRELUBRICADO  
ASTM B438-00A



| CODIGO   | A<br>(PULGADAS) | LARGO<br>(PULGADAS) | PESO POR PIEZA<br>(ESTIMADO) |
|----------|-----------------|---------------------|------------------------------|
| BRD34PR  | 3/4             | 6 1/2               | 0.400                        |
| BRD1PR   | 1               | 6 1/2               | 0.600                        |
| BRD114PR | 1 1/4           | 6 1/2               | 0.900                        |
| BRD112PR | 1 1/2           | 6 1/2               | 1.300                        |
| BRD2PR   | 2               | 6 1/2               | 2.300                        |



PAG. 55

ING. TELLO 200 LOS ALTOS CP 45520, SAN PEDRO TLAQUEPAQUE, JAL.

TELS: ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREOS: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

## **ALUMINIOS Y METALES UNICORNIO, S.A. DE C.V.**

INGENIERO TELLO 200 LOS ALTOS CP 45520 TLAQUEPAQUE JAL

TELS ( 33 ) 3619 9657 \* 3619 9936 \* 3619 4260 \* 3619 1283

CORREO: VENTAS@AMUSA.COM.MX \* LUIS.SANCHEZ@AMUSA.COM.MX

WEB: [WWW.AMUSA.COM.MX](http://WWW.AMUSA.COM.MX)